

SSDC FOAMING OVEN & GRILL CLEANER

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SSDC FOAMING OVEN & GRILL CLEANER

Other means of identification : Not applicable

Recommended use : Grill Cleaner

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : SSDC Division

Kay Chemical Company 4050 Corporate Dr., #100

Grapevine, Texas USA 76051-2326 1-800-532-7732 (Customer Service)

Emergency health

information

1-800-391-1504

Issuing date : 10/03/2019

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable aerosols : Category 1
Skin corrosion : Category 1A
Serious eye damage : Category 1

GHS label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : Extremely flammable aerosol.

Causes severe skin burns and eye damage.

Causes serious eye damage.

Precautionary Statements : **Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dusts or mists. Wash skin thoroughly after handling. Wear protective gloves/protective clothing/ eye protection/ face protection. Intentional misuse by deliberate inhalation may be harmful or fatal.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/doctor. Wash

910258-02 1 / 9

SSDC FOAMING OVEN & GRILL CLEANER

contaminated clothing before reuse.

Storage:

Store locked up. Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/ 122 °F.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

Chemical name CAS-No. Concentration (%) Sodium hydroxide 1310-73-2 5 - 10 2-(2-butoxyethoxy)ethanol 112-34-5 1 - 5 1 - 5 Butane 106-97-8 propane 74-98-6 1 - 5

SECTION 4. FIRST AID MEASURES

: Rinse immediately with plenty of water, also under the eyelids, for at In case of eye contact

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

: Rinse mouth with water. Do NOT induce vomiting. Never give If swallowed

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

: Use extinguishing measures that are appropriate to local Suitable extinguishing media

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

: Extremely flammable aerosol.

fighting Pressurised container: May burst if heated.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

910258-02 2/9

SSDC FOAMING OVEN & GRILL CLEANER

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Contents under pressure. Do not puncture. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective

Equipment (PPE).

Conditions for safe storage : Keep in a cool, well-ventilated place. Do not store near acids. Keep

out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

: 0 °C to 50 °C Storage temperature

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
Butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		STEL	1,000 ppm	ACGIH
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z1

910258-02 3/9

SSDC FOAMING OVEN & GRILL CLEANER

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

> practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : aerosol

Color : clear, colorless Odor : No data available

рΗ : 13.0 - 14.0 Flash point : Not applicable : No data available Odor Threshold Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure : No data available Relative vapor density : No data available Relative density : No data available

Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-

octanol/water

: No data available

: No data available Autoignition temperature

910258-02 4/9

SSDC FOAMING OVEN & GRILL CLEANER

Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Eye contact

exposure

Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.

Skin Causes severe skin burns.

Ingestion Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation. Intentional misuse by

deliberate inhalation may be harmful or fatal.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

Product

910258-02 5/9

SSDC FOAMING OVEN & GRILL CLEANER

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

sensitization

Respiratory or skin : No data available

: No data available Carcinogenicity Reproductive effects : No data available Germ cell mutagenicity : No data available Teratogenicity : No data available : No data available STOT-single exposure STOT-repeated exposure : No data available Aspiration toxicity : No data available

Components

Acute inhalation toxicity : Butane

> 4 h LC50 Rat: 280000 ppm Test atmosphere: gas

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available : No data available Toxicity to daphnia and other

aquatic invertebrates

Toxicity to algae

: No data available

Components

Toxicity to fish : 2-(2-butoxyethoxy)ethanol

96 h LC50 Fish: 1,300 mg/l

Butane

96 h LC50 Fish: 22.03 mg/l

Components

Toxicity to daphnia and other : Sodium hydroxide

aquatic invertebrates

48 h EC50: 40 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

No data available

910258-02 6/9

SSDC FOAMING OVEN & GRILL CLEANER

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 1950
Description of the goods : Aerosols

Class : 2.1 Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1950
Description of the goods : AEROSOLS

Class : 2.1 Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Sodium hydroxide	1310-73-2	1000	13333

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Skin corrosion or irritation

Serious eye damage or eye irritation

910258-02 7 / 9

SSDC FOAMING OVEN & GRILL CLEANER

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

2-(2-butoxyethoxy)ethanol 112-34-5 1 - 5 %

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Sodium hydroxide	1310-73-2	Cleaning Agent	20
2-(2-butoxyethoxy)ethanol	112-34-5	Cleaning Agent	Not Applicable
Butane	106-97-8	Solvent	Not Applicable
propane	74-98-6	Solvent	Not Applicable

^{*}refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances:

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):


On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

910258-02 8 / 9

SSDC FOAMING OVEN & GRILL CLEANER

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Issuing date : 10/03/2019

Version : 1.2

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

910258-02 9 / 9