

# SAFETY DATA SHEET



This Safety Data Sheet (SDS) complies with the requirements of the U.S. Federal Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200, as updated in 2012) and equivalent state Standards. It has also been developed in accordance with the United Nations Globally Harmonized System of Classification of Chemicals (GHS) and the Canadian Workplace Hazardous Materials Information System (WHMIS). Refer to Section 16 of this document for the definition of terms and abbreviations.

## SECTION 1: IDENTIFICATION

### 1.1 PRODUCT IDENTIFIER

- ITEM NUMBER(S): 530104
- PRODUCT NAME: **1 GL: H.D. Liquid Laundry Detergent**

### 1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE

- RECOMMENDED USE: Laundry
- IDENTIFIED USERS: For sale to, use and storage by service persons only.

### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

- **MANUFACTURER/  
SUPPLIER:** **WAXIE Sanitary Supply**
- **ADDRESS:** 9353 Waxie Way; San Diego, CA 92123-1036
- **BUSINESS PHONE:** 1-800-995-4466
- **EMERGENCY PHONE:** 1-800-255-3924 (CHEMTEL; 24 hours)

### 1.4 OTHER PERTINENT INFORMATION

- This product is sold and used in relatively small volumes (e.g., 1 gallon containers). This SDS has been developed to address safety concerns affecting small volume handling situations and those involving warehouses and workplaces where large numbers of these items are stored or distributed.
- This product is intended to be used only after dilution. The relevant hazards and safety data are specified for both the Product as SOLD and Product at USE DILUTION, where appropriate.

## SECTION 2: HAZARD IDENTIFICATION

### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

OSHA/HCS Status

Classification of the Substance or Mixture or Serious eye damage/Irritation (Category 2A); Skin corrosion/irritation (Category 2)

### 2.2 LABEL ELEMENTS:

ELEMENT

Hazard Pictograms



Signal Word

Hazard Statements

Precautionary Statements

Prevention

Response

WARNING.

Causes skin and serious eye irritation.

Keep out of reach of children. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, see a physician.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical advice/attention.

Storage

Not established; follow guidelines in section 7.

**SECTION 2: HAZARD IDENTIFICATION (Continued)**

**2.3 OTHER PERTINENT HAZARDS NOT OTHERWISE CLASSIFIED**

- Not applicable.

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

**3.1 SUBSTANCES/MIXTURES**

CHEMICAL	CAS NUMBER	GHS HAZARD CLASSIFICATION FOR CHEMICAL	% (w/w)
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	Acute Toxicity/Oral (Category 4) Serious eye damage/Irritation (Category 1) Skin Damage/Corrosion (Category 1C); Specific target organ toxicity - single exposure (Category 3, Central nervous system)	<10%
Triethanolamine	102-71-6	Not a hazardous substance or mixture.	<5.0 %
Surfactant	Mixture/Not applicable.	Serious eye damage/Irritation (Category 2A); Skin corrosion/irritation (Category 2)	<10%
Water and other components less than 1% in concentration within this solution. The remaining components of this product are not classified as hazardous in their existing concentrations			Balance

**SECTION 4: FIRST AID MEASURES**

**4.1 DESCRIPTION OF FIRST AID MEASURES**

**AREA EXPOSED**

**Eye Contact**

Flush with copious amounts of water for 15 minutes. "Roll" eyes during flush. Check for and remove contact lenses. Seek medical attention if irritation persists.

**Skin Contact**

Flush area with warm, running water for several minutes. Seek medical attention if irritation persists.

**Inhalation**

Obtain fresh air.

**Ingestion**

If conscious only: Rinse mouth with water. Drink several cups of water. Do not induce vomiting. Contact a Poison Control Center or physician for instructions.

**4.2 MOST IMPORTANT ACUTE AND CHRONIC EXPOSURE SYMPTOMS**

- **ACUTE HEALTH EFFECTS:**

**AREA EXPOSED**

**Eye Contact**

Causes serious eye irritation. Can cause pain and redness upon contact; prolonged contact can be damaging.

**Skin Contact**

Causes skin irritation. May cause pain and redness upon contact; prolonged contact may be damaging.

**Inhalation**

May cause mild respiratory tract irritation; symptoms may include coughing and sneezing depending on volume of mist/spray inhaled.

**Ingestion**

May cause gastrointestinal system irritation; symptoms may include pain, sore throat, nausea and vomiting.

- **CHRONIC HEALTH EFFECTS:** Prolonged or repeated skin contact can cause dermatitis.

- **TARGET ORGANS:** Skin, eyes.

**4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:**

- **GENERAL INFORMATION: For all exposures:** In case of accident, or if you feel unwell, seek medical advice immediately. Take this document and a copy of the label to the healthcare professional.
- **RECOMMENDATIONS TO PHYSICIANS:** Treat symptomatically.
- **MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:** None reported.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 EXTINGUISHING MEDIA

- **RECOMMENDED FIRE EXTINGUISHING MEDIA:** Water Spray, Water Jet, Dry Powder, Foam, Carbon Dioxide, Halon, or any other.
- **UNSUITABLE FIRE EXTINGUISHING MEDIA:** None known.

### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

- **NFPA FLAMMABILITY CLASSIFICATION:**

Classification

NFPA Rating



NFPA Classification

Not flammable.

- **UNUSUAL HAZARDS IN FIRE SITUATIONS:**

<b>Decomposition Products</b>	Carbon dioxide, carbon monoxide, sulfur and nitrogen compounds, and irritating vapors.
<b>Explosion Sensitivity to Mechanical Impact</b>	Not applicable.
<b>Explosion Sensitivity to Static Discharge</b>	Not applicable.

### 5.3 ADVICE FOR FIREFIGHTERS

- Self-Contained Breathing Apparatus and full protective equipment for fire response should be worn in any situation. Move containers from fire area if it can be done without risk to personnel. Otherwise, use water spray to keep fire-exposed containers cool. Because this is product is a cleaning agent, any equipment that comes in contact with this solution can be rinsed thoroughly with water and then returned to service.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

- **RESPONSE TO INCIDENTAL RELEASES:** Personnel who have received basic chemical safety training can generally handle small-scale releases. Gloves and safety glasses must be worn when cleaning-up spills. Use caution during clean-up; contaminated floors and items may be slippery.
- **RESPONSE TO NON-INCIDENTAL RELEASES:** Generally, releases of this product will be no larger than the loss of one shipment of material. Subsequently, personnel can follow the instructions for incidental releases. As needed, respond to non-incident chemical releases of this product (such as the simultaneous destruction of several pallets of this product) by clearing the impacted area and contacting appropriate emergency personnel.
- **RESPONSE PROCEDURES FOR ANY RELEASE:** Absorb spilled liquid with polypads or other suitable absorbent materials. Rinse area thoroughly. Because this product is a cleaning agent, all items that come in contact with the solution can be returned to service after rinsing.

### 6.2 ENVIRONMENTAL PRECAUTIONS

- Avoid response actions that can cause a release of a significant amount of product (more than 4 gallons) into the environment. Avoid accidental dispersal of spilled material into soil, waterways and sewers.

### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

- **SPILL RESPONSE EQUIPMENT:** Polypad or other absorbent material.

### 6.4 REFERENCES TO OTHER SECTIONS

- **SECTION 8:** For exposure levels and detailed personal protective equipment recommendations.
- **SECTION 13:** For waste handling guidelines.

## SECTION 7: HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

<b>Hygiene Practices</b>	Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of mists and sprays. Use in well-ventilated area. Avoid contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.
<b>Handling Practices</b>	Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use.

## SECTION 7: HANDLING AND STORAGE (Continued)

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

<b>Storage Practices</b>	Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals.
<b>Incompatibilities</b>	See Section 10 (Stability and Reactivity).

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS

- **AIRBORNE EXPOSURE LIMITS:** Not established.
- **BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS:** Not established.

### 8.2 EXPOSURE CONTROLS


<b>Engineering Controls</b>	Use in well-ventilated environment.
<b>Respiratory Protection</b>	None needed in normal circumstances of use.
<b>Hand Protection</b>	Rubber or neoprene gloves are recommended if skin contact is anticipated.
<b>Eye Protection</b>	Safety glasses are recommended if there is a potential for slashes or sprays.
<b>Body Protection</b>	Standard protection used in janitorial service.

### 8.3 PERSONAL PROTECTION SYMBOLS

Hand Protection



Eye Protection



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Clear, yellow liquid.
<b>Odor</b>	No data available.
<b>Odor Threshold</b>	Not determined.
<b>pH</b>	Less than 12.5.
<b>Melting Point/Freezing Point</b>	No data available.
<b>Initial Boiling Point/Boiling Range</b>	No data available.
<b>Flash Point</b>	Not applicable.
<b>Evaporation Rate (Water = 1)</b>	No data available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Continued)

Upper/Lower Explosive Limits	Not applicable.
Vapor Pressure	Not determined.
Vapor Density	Not determined.
Relative Density (Density)	No data available.
Solubility	Completely soluble in water.
Partition Coefficient/n-octanol/water	Not determined.
Autoignition Temperature	Not applicable.
Decomposition Temperature	Not determined.
Viscosity	Not determined.

### 9.2 OTHER INFORMATION

- **VOC (less water & exempt):** No applicable.
- **WEIGHT% VOC:** No applicable.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 REACTIVITY

- Not reactive under typical conditions of use or handling.

### 10.2 CHEMICAL STABILITY

- Normally stable under standard temperatures and pressures.

### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

- Product is not self-reactive, water-reactive, or air-reactive; it will not undergo hazardous polymerization.

### 10.4 CONDITIONS TO AVOID

- Avoid contact with incompatible chemicals.

### 10.5 INCOMPATIBLE MATERIALS

- Strong oxidizing agents, ammonia, bleach, strong acids and strong alkali materials.

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

- Products of thermal decomposition of this product include carbon monoxide and carbon dioxide.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

- **ACUTE TOXICITY:**

- **TOXICOLOGY DATA:** The following data are available for components of this product.

- **TRIETHANOLAMINE**

- LD50 Oral - Mouse - 5,846 mg/kg
- LD50 Oral - Rat - 5,530 mg/kg
- LD50 Oral - Rabbit - 2,200 mg/kg
- LD50 Oral - Guinea pig - 2,200 mg/kg
- LD50 Dermal - Rabbit - > 22.5 g/kg

- **SURFACTANT**

- LD50 Oral - Rat - 1,310 mg/kg

- **DEGREE OF IRRITATION:** Serious eye and skin irritant. See Section 4 (First Aid Measures) for more details. The following data are available for components of this product:

- **SENSITIZATION:** This product is not reported to have skin or respiratory sensitization effects.

## SECTION 11: TOXICOLOGICAL INFORMATION (Continued)

- **REVIEW OF ACUTE SYMPTOMS AND EFFECTS BY ROUTE OF EXPOSURE:** See Section 2 (Hazards Information) and Section 4 (First Aid Measures) for additional details.

<b>Eyes</b>	Seriously irritating the eyes.
<b>Skin</b>	Mildly to moderately irritating, depending on duration of exposure.
<b>Inhalation</b>	May cause mild respiratory tract irritation if mists are inhaled.
<b>Ingestion</b>	May cause gastrointestinal system irritation.
- **CHRONIC TOXICITY:**
  - **CARCINOGENICITY STATUS:** Not established.
  - **REPRODUCTIVE TOXICITY INFORMATION:** The components of this product are not reported to cause reproductive effects under typical circumstances of exposure.
  - **MUTAGENIC EFFECTS:** The components of this product are not reported to cause mutagenic effects under typical circumstances of exposure.
  - **SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:** This product can cause central nervous system effects.
  - **SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:** Not applicable.
  - **ASPIRATION HAZARD:** Not applicable.
- **OTHER INFORMATION:**
  - **TOXICOLOGICALLY SYNERGISTIC PRODUCTS:** None known.
  - **ADDITIONAL TOXICOLOGY:** Not applicable.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 TOXICITY

- Based on available data, this product may be harmful to contaminated terrestrial or aquatic plants or animals, depending on the volume released into the environment.
- The following aquatic toxicity data are available for components of this product.

#### **SURFACTANT**

LC50, Bluegill (*Lepomis macrochirus*), 2800 ug/L, 24 hours  
LC50, Water Flea (*Daphnia magna*), adults, 17000 ug/l, 48 hours

#### **TRIETHANOLAMINE**

LC50, Water Flea (*Daphnia magna*), 1390 mg/L, 24 hours, Intoxication  
LC50, Brine shrimp (*Artemia salina*), nauplii, 5600000 ug/L, 24H, Mortality

### 12.2 PERSISTENCE AND DEGRADABILITY

- When released into the soil, the components of this product are expected to biodegrade, dissipate in soils via oxidation, or otherwise chemically degrade or photo-decompose via solar radiation.

### 12.3 BIOACCUMULATIVE POTENTIAL

- This product is not anticipated to bioaccumulate significantly.

### 12.4 MOBILITY IN SOIL

- It is to be expected this product will have some mobility in soil.

### 12.5 OTHER ADVERSE EFFECTS

- None reported.

## SECTION 13: DISPOSAL CONSIDERATION

### 13.1 WASTE TREATMENT METHODS

- Dispose of in accordance with local, State and Federal regulations.

### 13.2 DISPOSAL CONSIDERATIONS

- Not applicable.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 DANGEROUS GOODS BASIC DESCRIPTION AND OTHER TRANSPORT INFORMATION

- **DEPARTMENT OF TRANSPORTATION HAZARDOUS MATERIALS SHIPPING REGULATIONS:**

UN/NA Number	Proper Shipping Name	Packing Group	Hazard Class	Label	North American Emergency Response Guide #	Marine Pollutant Status
NOT APPLICABLE						

- **IATA DESIGNATION:** This product is not regulated as dangerous goods by the International Air Transport Association.
- **IMO DESIGNATION:** This product is not regulated as dangerous goods by the International Maritime Organization.

### 14.2 ENVIRONMENTAL HAZARDS

- None described, as related to transportation.

### 14.3 SPECIAL PRECAUTIONS FOR USERS

- Not applicable.

### 14.4 TRANSPORT IN BULK

- Not applicable.

## SECTION 15: REGULATORY INFORMATION

### 15.1 SAFETY, HEALTH, AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT

- **OTHER IMPORTANT U.S. REGULATIONS**

- **U.S. SARA HAZARD CATEGORIES (SECTION 311/312, 40 CFR 370-21):** ACUTE: Yes; CHRONIC: No; FIRE: No; REACTIVE: No; SUDDEN RELEASE: No
- **U.S. CERCLA REPORTABLE QUANTITY (RQ):** Not applicable.
- **U.S. TSCA INVENTORY STATUS:** All components of this product are listed on the TSCA Inventory.
- **CALIFORNIA SAFE DRINKING WATER ACT (PROPOSITION 65) STATUS:** Chemicals known to the state of California to cause cancer or reproductive toxicity - This product may contain traces of: 1,4-Dioxane (CAS 123-91-1), ethylene oxide (CAS 75-21-8), compounds known to the state of California to cause cancer, birth defects, or other reproductive harm.

- **INTERNATIONAL REGULATIONS**

- **CANADIAN REGULATORY STATUS:** The product is classified as hazardous under Canadian Controlled Products regulations (SOR-88-66).
  - D2B – Materials Causing Other Toxic Effects/Toxic
  - This SDS contains all the information required by the CPR.
- **CANADIAN DSL/NDSL INVENTORY STATUS:** The listed components of this product are on the DSL/NDSL Inventory.
- **CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:** The components of this product are not on the CEPA Priorities Substances Lists.
- **GERMAN WATER HAZARD CLASSIFICATION:** 1 (low hazard to waters).



## SECTION 16: OTHER INFORMATION

### 16.1 INDICATION OF CHANGE

- **DATE OF REVISION:** May 19, 2015
- **SUPERCEDES:** September 8, 2014
- **CHANGE INDICATED:** Update of OSHA Hazard Communication Standard (29 CFR 1910.1200),

### 16.2 KEY LITERATURE REFERENCES AND SOURCES FOR DATA

- SAFETY DATA SHEETS FOR COMPONENT PRODUCTS.
- SAX – Dangerous Properties of Industrial Materials
- RTECS – Registry of Effects of Toxic Chemicals
- TOXNET – <http://toxnet.nlm.nih.gov/>

### 16.3 HAZARDOUS MATERIALS CLASSIFICATION SYSTEM

#### Product as SOLD

Health	1	<u>HMIS Personal Protective Equipment Rating:</u> Occupational Use situations: B- Safety glasses and gloves.
Flammability	0	
Physical Hazard	0	
Protective Equipment	B	

### 16.4 DISCLAIMER

WAXIE Sanitary Supply makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of their own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by WAXIE Sanitary Supply as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does WAXIE Sanitary Supply assume any liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. WAXIE Sanitary Supply does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.

### 16.5 ABBREVIATIONS AND ACRONYMS

**ALL SECTIONS:** OSHA: U.S. Federal Occupational Safety and Health Administration. WHMIS: Canadian Workplace Hazardous Materials Standard. GHS: Globally Harmonized System of Classification of Chemical Substances. REACH: European Union regulation, Registration, Evaluation, Authorization and Restriction of Chemical substances.

**SECTION 2:** CAS Number: Chemical Abstract Service Number, which is used by the American chemical Society to uniquely identify a chemical.

**SECTION 5:** NFPA: National Fire Protection Association. NFPA FLAMMABILITY CLASSIFICATION: The NFPA uses the flash point (F.I.P.) and boiling point (BP) to classify flammable or combustible liquids. Class IA: F.I.P. below 73°F and BP below 100°F. Class IB: F.I.P. below 73°F and BP at or above 100°F. Class IC: F.I.P. at or above 73°F and BP at or above 100°F. Class II: F.I.P. at or above 100°F and below 140°F. Class IIIA: F.I.P. at or above 140°F and below 200°F. Class IIIB: F.I.P. at or above 200°F. NFPA HAZARDOUS MATERIALS RATING: This is a rating system used to summarize physical and health hazards to firefighters. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

**SECTION 8:** NE: Not established. ACGIH: American Conference of Government Industrial Hygienists; TWA: Time-Weighted Average (over an 8-hour work day); STEL: Short-Term Exposure Limit (15 minute average, no more than 4-times daily and each exposure separated by one-hour minimally); C: Ceiling Limit (concentration not to be exceeded in a work environment). PEL: Permissible Exposure Limit. NIOSH: National Institute of Occupational Safety and Health; REL: Recommended Exposure Limit; IDLH: Immediately Dangerous to Life and Health Concentrations. *Note:* In July 1992, a court ruling vacated the more protective PELs set by OSHA in 1989. Because OSHA may enforce the more protective levels under the "general duty clause", both the current and vacated levels are presented in this document. ppm: Parts per Million. mg/m<sup>3</sup>: Milligrams per cubic meter. mppcf: Millions of Particles per Cubic Foot. BEI: Biological Exposure Limit.

**SECTION 9:** pH: Scale (0 to 14) used to rate the acidity or alkalinity of aqueous solutions. For example, a pH value of 0 indicates a strongly acidic solution, pH of 7 indicates a neutral solution, and a pH value of 14 indicates an extremely basic solution. FLASH POINT: Temperature at which a liquid generates enough flammable vapors so that ignition may occur. AUTOIGNITION TEMPERATURE: Temperature at which spontaneous ignition occurs.

**SECTION 9 (Continued):** LOWER EXPLOSIVE LIMIT (LEL): The minimal concentration of flammable vapors in air which will sustain ignition. UPPER EXPLOSIVE LIMIT (UEL): The maximum concentration of flammable vapors in air which will sustain ignition. ≈: Approximately symbol. VOC: Volatile Organic Compound.

**SECTION 11:** CARCINOGENICITY STATUS: NTP: National Toxicology Program. IARC: International Agency for Research on Cancer. REPRODUCTIVE TOXICITY INFORMATION: Mutagen: Substance capable of causing chromosomal damage to cells. Embryotoxin: Substance capable of damaging the developing embryo in an overexposed female. Teratogen: Substance capable of damaging the developing fetus in an overexposed female. Reproductive toxin: Substance capable of adversely affecting male or female reproductive organs or functions. TOXICOLOGY DATA: LD<sub>xx</sub> or LC<sub>xx</sub>: The Lethal Dose or Lethal Concentration of a substance which will be fatal to a given percentage (xx) of exposed test animals by the designate route of administration. This value is used to access the toxicity of chemical substances to humans. TD<sub>xx</sub> or TC<sub>xx</sub>: The Toxic Dose or Toxic Concentration of a substance which will cause an adverse effect to a given percentage (xx) of exposed test animals by the designate route of administration.

**SECTION 12:** EC50: Effect Concentration (on 50% of study group); BOD: Biological Oxygen Demand. N/LOEC: No/Lowest Observable Effect Concentration.

**SECTION 13:** RCRA: Resource Conservation and Recovery Act. The regulations promulgated under this act under Act are found in 40 CFR, Sections 260 ff, and define the requirements of hazardous waste generation, transport, treatment, storage, and disposal. EPA RCRA Waste Codes: Defined in 40 CFR Section 261.

**SECTION 15:** CERCLA: Comprehensive Environmental Response Compensation and Liability Act (a.k.a. "Superfund") and SARA: (Superfund Amendment and Reauthorization Act). The regulations promulgated under this Act are located under 40 CFR 300 ff. and provide "community right-to-know" requirements. TCSCA: Toxic Substances Control Act: Rules regulating the manufacture and sale of chemicals found in 40 CFR 700-766. DSL/NDL: Canadian Domestic Substances and Non-Domestic Substances Lists.

**SECTION 16:** HAZARDOUS MATERIALS IDENTIFICATION SYSTEM RATING: This is a rating system used by industry to summarize physical and health hazards to chemical users and was originally developed by the National

Paint and Coating Association. 0 = No Significant Hazard. 1 = Slight Hazard.  
2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.