

Service

Sales

Rentals

ndustrial Equipment & Sandblasting Supplies 697 Ahua Street, Honolulu, HI 96819-2002

MATERIAL SAFETY DATA SHEET

Triethylene Glycol Monomethyl Ether

BF1212 - Dot 3 Brake Fluid

SEC. 1 - PRODUCT AND MANUFACTURER INFO SEC. 2 - COMPOSITION INFORMATION SEC 3 - HAZARDS IDENTIFICATION SEC 4 - FIRST AID MEASURES SEC 5 - FIRE FIGHTING MEASURES SEC 6 -ACCIDENTAL RELEASE MEASURES SEC 7 -HANDLING AND STORAGE SEC 8 -EXPOSURE, PERS. PROTECTION SEC 9 - PHYS, CHEM PROPERTIES SEC 10- STABILITY, REACTIVITY SEC 11 - TOXICOLOGY INFORMATION SEC 12 - ECOLOGICAL INFORMATION SEC 13 - DISPOSAL CONSIDERATIONS SEC 14 - TRANSPORT INFORMATION SEC 15 - REGULATORY INFORMATION SEC 16 - ADDITIONAL INFORMATION SECTION 1 - CHEMICAL PRODUCT AND MANUFACTURER IDENTIFICATION Product Name; BF1212 - DOT 3 Brake Fluid Part Number; Product CAS; (none) Product Code; N/A Synonyms; BF 1212 - DOT 3 Brake Fluid MANUFACTURER IDENTIFICATION Name; Gold Eagle Company Address; 4400 S. Kildare Blvd. City; Chicago State; IL Zip; 60632-4372 For information call; 773-376-4400 Emergency Number; N/A Emergency Agency; INFOTRAC Agency Number; 1-800-535-5053 MSDS Effective Date; 7/17/2003 MSDS Supersedes Date; 3/31/2006 Miscellaneous; Product CAS; Mixture Chemical name; Glycols, Poly. Brief description; DOT 3 Brake Fluid for use in brake systems. SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS Chemical Name CAS MTN MAX Diethylene Glycol Monomethyl Ether 111-77-3 Ο 2.5 Dimethylene Glycol Monoethyl Ether 111-90-0 2.5 Diethylene Glycol Monobutyl Ether 112-34-5 3.5 Triethylene Glycol Monomethyl Ether 112-35-6 0 18 Treithylene Glycol Monoethyl Ether 112-50-5 0 14 Triethylene Glycol Monobutyl Ether 143-22-6 38 Miscellaneous; CHEMICAL NAME LIMIT VALUES Diethylene Glycol Monobutyl Ether N/ADiethylene Glycol Monoethyl Ether N/A Diethylene Glycol Monomethyl Ether N/A Triethylene Glycol Monobutyl Ether N/A Triethylene Glycol Monoethyl Ether N/A

N/A

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW;

NFPA; Health; 2 Fire; 1 Reactivity; 0 Specific Hazard; N/A

HMIS: Health 2 Flammability; 1 Reactivity; 0 PPE: B

Miscellaneous;

This product does not contain any components above de minimus concentrations considered carcinogenic by OSHA, IARC or NTP.

POTENTIAL HEALTH EFFECTS

Target Organs/Primary Route (s) of Entry;

Eve;

May cause moderate to severe irritation and moderate transient corneal injury depending upon concentration of the glycol ether.

Skin;

May cause irritation if left in contact with skin. Contact with large areas of skin for extended periods of time may result in absorption of toxic amounts. Ingestion;

May cause irritation of the GI tract and central nervous system disturbances.

Inhalation of mists may cause respiratory tract irritation, and central nervous system effects including; headache, narcosis, weakness, slurred speech and blurred vision.

Miscellaneous;

SECTION 4 - FIRST AID MEASURES

Eve;

If the product contacts the eyes, immediately wash the eyes with large quantities of room temperature water for at least 15 minutes, occasionally lifting the lower and upper lids.

Get medical attention immediately. A follow up visit to an ophthalmologist should be made.

Skin;

If the product contacts the skin, promptly wash the contaminated skin with soap and water for at least 15 minutes. If the product penetrates the clothing, promptly remove the clothing and wash the skin with soap and water. Ingestion;

If this product is ingested and the person is conscious, have patient drinks several glasses of water. Induce vomiting by having patient tickle back of throat with finger, keep airway clear. GET IMMEDIATE MEDICAL ATTENTION. Inhalation;

Move the exposed person to fresh air at once and call emergency medical care. If breathing has stopped, give artificial respiration. If breathing is difficult, give humidified oxygen.

Notes to Physician;

No data available.

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point; GT 250 F. (GT 121 C.) PMCC

Auto ignition Temperature; N/A

Flammable Limits

Lower Limit; Explosive Limit (LEL); N/A Upper Limit; Explosive Limit (UEL); N/A

Extinguishing Media;

Use water spray, alcohol foam, dry chemical, or carbon dioxide.

Unusual Fire and Explosion Hazards;

Water or foam may cause frothing.

Special Fire Fighting Procedures;

Wear NIOSH approved SCBA respirator in the positive pressure mode and chemical protective clothing.

General Information;

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Small Spill; remove sources of heat or ignition, provide adequate ventilation, contain leak using absorbent, inert, non-combustible material.

Large Spill; Contain spill, transfer to secure containers. In the event of an uncontrolled material release, the user should determine if release is reportable under applicable laws and regulations. SECTION 7 - HANDLING AND STORAGE Handling; See other sections of MSDS. Storage; See other sections of MSDS. SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION GENERAL HYGIENE CONSIDERATIONS; Use normal hygiene practices. OTHER PRECAUTIONS; None ENGINEERING CONTROLS; Local Exhaust; provide local ventilation to maintain exposure levels below recommended exposure limits. Mechanical (General); In confined spaces, mechanical ventilation may be required. Special Ventilation; N/A Other Ventilation; N/A PERSONAL PROTECTIVE EQUIPMENT Eyes/face; Use splash proof chemical, safety glasses or appropriate full-face respirator. Skin; Use chemical resistant gloves such as butyl rubber or PVC coated as required. Respirators; If high vapor or mist concentrations are expected, use appropriate NIOSH approved respirator for organic vapors and mists. Respirators must be selected based on airborne levels found in workplace and must not exceed the working limits of the respirator. Other Protective Clothing/Equipment; If there is a possibility of exposure of an individual's body to the lubricating oil, wear body covering clothes to avoid prolonged or repeated exposure. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES Appearance/Odor; Amber color, clear liquid, mild odor. рн; 8.5 - 10.0 Vapor Pressure; (MM HG); N/A Vapor Density (Air=1): GT 1.0 Evaporation Rate; N/A Viscosity; N/A Boiling Point; GT 450 F (GT 232 C.) Freezing/Melting Point; N/A Decomposition Temperature; N/A Solubility in Water; Soluble Specific Gravity; 1.05 Molecular Formula; N/A Molecular Weight; N/A VOC Coating (minus water): 0 Lbs/Gallon Coating Density; 0 Lbs/Gallon Solvent Density; 0 Lbs/Gallon Percent Solvent (volume): 0 Percent Solids (volume); 0 Percent Water (volume): 0 Percent Volatile by weight; 0 Miscellaneous; % Volatile/Volume; N/A Percent Solvent (Volume): N/A

Poly glycol based product containing a proprietary inhibitor package.

Percent Solids (Volume); N/A
Percent Water (Volume): N/A

```
Chemical Stability;
Stable; Yes
Conditions to Avoid;
Store in a cool, dry, well ventilated area. Keep away from heat, sparks, and
Avoid open heating or agitation; keep container tightly closed when not in use.
Incompatibilities with Other Materials;
(Materials to avoid): Avoid contact with strong oxidizers and high oxygen
concentrations.
Hazardous Decomposition Products;
Incomplete combustion can generate carbon monoxide and/or oxygenated
hydrocarbons.
Hazardous Polymerization;
Hazardous Polymerization May Occur; No
SECTION 11 - TOXICOLOGICAL INFORMATION
No data available.
SECTION 12 - ECOLOGICAL INFORMATION
No data available.
SECTION 13 - DISPOSAL CONSIDERATIONS
Dispose of recovered non usable product in a manner approved for this material.
Discarded material is not a RCRA hazardous waste. Before attempting clean up,
refer to other sections of the MSDS and dispose of product in accordance with
local, state, and federal regulations.
SECTION 14 - TRANSPORT INFORMATION
Transportation Information;
Shipping Information (CFR and IMDG):
Proper Shipping Name; Glycols, poly
DOT Hazard Class; None Required
DOT UN Number; None required.
IMDG Shipping Name; Brake Fluid, Hydraulic (Flashpoint GT250D)
Label Information;
No data available.
SECTION 15 - REGULATORY INFORMATION
SARA Title III;
Section 302; None
Section 304; None
Section 311; Hazard categories - Immediate Acute Health = Yes and Delayed
Chronic Health = Yes
Section 313; None
Section 311 (b) (4); Requires discharges of crude oil and petroleum products in
any kind or form to waters must immediately be reported to the National
Center at (800) 424-8802.
SECTION 16 - ADDITIONAL INFORMATION
Disclaimer; Information presented herein is believed to be factual, as it has
been derived from the works and opinions of persons believed to be qualified
experts. However, nothing contained in this information is to be taken as warranty or
representation for which the Gold Eagel Co. bears legal responsibility. The user should
review any recommendations in the specific context of the intended use to determine
whether they are appropriate.
Prepared by; Mike Profetto
The information contained in this MSDS was obtained from current and reliable sources,
however, the data is provided without any warrenty, expressed or implied, regarding its
correctness or accuracy. Since the conditions or handling, storage and disposal of this
product are beyond the control of Imperial Supplies LLC, Imperial will not be responsible
for loss, injury, or expense arising out of the products improper use. No warranty,
expressed or inferred, regarding the product described in this MSDS shall be created or
inferred by any statement in this MSDS. Various government agencies may have specific
regulations regarding the transportation, handling, storage, use, or disposal of this
```

product which may not be covered by this MSDS. The user is responsible for full

compliance.