SAFETY DATA SHEET



1. Identification

Gunk S-C Degreaser Super Concentrate

| Product identifier | | | |
|----------------------------------|--|----------------|--|
| Other means of identification | SC Series | | |
| SDS number | SC3, SC5, SC2A | | |
| Part No. | 3814.00.5090 | | |
| Tariff code | Degreaser | | |
| Recommended use | None known. | | |
| Recommended restrictions | | | |
| Manufacturer/Importer/Supplier/I | Manufacturer/Importer/Supplier/Distributor information | | |
| Manufacturer | | | |
| Company name | Blumenthal Brands Integrated, LLC | | |
| Address | 600 Radiator Road | | |
| | Indian Trail, NC 28079 | | |
| Telephone | Customer Service | (704) 821-7643 | |
| | Technical | (704) 821-7643 | |
| Website | www.solvewithB.com | | |
| E-mail | sds@solvewithB.com | | |
| Emergency phone number | Poison Control (RMPDC) | (303) 623-5716 | |
| | Poison Control (RMPDC) | (877) 740-5015 | |

2 Hazard(s) identification

Label elements

| Physical hazards | Not classified. | |
|-----------------------|-----------------------------------|-------------|
| Health hazards | Serious eye damage/eye irritation | Category 2A |
| | Aspiration hazard | Category 1 |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |



| | • • • |
|--|--|
| Signal word | Danger |
| Hazard statement | May be fatal if swallowed and enters airways. Causes serious eye irritation. |
| Precautionary statement | |
| Prevention | Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves. |
| Response | Do NOT induce vomiting. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. |
| Storage | Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | NOTE: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The container label may not include the OSHA label elements listed in this document. Always carefully review the entire SDS and the product label prior to use in the workplace. |
| | |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|-----------|
| Hydrotreated Light Naphthenic Distillates Petroleum | | 64742-53-6 | 80 - < 90 |
| Poly(oxyethylene) Sorbitol Hexaoleate | | 57171-56-9 | 5 - < 10 |
| Tripropylene Glycol Methyl Ether | | 25498-49-1 | 3 - < 5 |
| Isopropylamine Dodecylbenzene Sulfonate | | 26264-05-1 | 1 - < 3 |
| Water | | 7732-18-5 | < 0.2 |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

| 4. First-aid measures | |
|--|--|
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. |
| Skin contact | Wash off with soap and water. Get medical attention if irritation develops and persists. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Ingestion | Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |
| Most important symptoms/effects, acute and delayed | Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

5 Fire-fighting measures

| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). | |
|--|---|--|
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. | |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. | |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. | |
| Fire fighting equipment/instructions | Move containers from fire area if you can do so without risk. | |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. | |
| General fire hazards | No unusual fire or explosion hazards noted. | |

6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
|---|--|
| Methods and materials for containment and cleaning up | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. |
| | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| Environmental precautions | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. |

7. Handling and storage Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| US. OSHA Table Z-1 Limit Components | s for Air Contaminants (29 CFR 1910.1000) Type |) Value | Form |
|---|---|------------------------------|---------------------|
| Hydrotreated Light Naphthenic Distillates Petroleum (CAS 64742-53-6) | PEL | 5 mg/m3 | Mist. |
| | | 2000 mg/m3 | |
| | | 500 ppm | |
| US. ACGIH Threshold Lim | | Value | Form |
| Components | Туре | | - |
| Hydrotreated Light Naphthenic Distillates Petroleum (CAS 64742-53-6) | TWA | 5 mg/m3 | Inhalable fraction. |
| US. NIOSH: Pocket Guide | | | _ |
| Components | Туре | Value | Form |
| Hydrotreated Light Naphthenic Distillates Petroleum (CAS 64742-53-6) | Ceiling | 1800 mg/m3 | |
| | STEL | 10 mg/m3 | Mist. |
| ological limit values | No biological exposure limits noted for th | e ingredient(s). | |
| propriate engineering htrols | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Prove eyewash station. | | |
| lividual protection measure | s, such as personal protective equipment | | |
| Eye/face protection | Face shield is recommended. Wear safe | ty glasses with side shields | (or goggles). |
| Skin protection Hand protection | Wear appropriate chemical resistant glov | /es. | |
| Other | Wear appropriate chemical resistant clothing. | | |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapor cartridge and full facepiece if threshold limits are exceeded. | | |
| Thermal hazards | Wear appropriate thermal protective cloth | ning, when necessary. | |
| neral hygiene nsiderations | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. | | |
| Physical and chemical | l properties | | |
| pearance | Liquid | | |
| Physical state | Liquid. | | |
| Form | Liquid. | | |
| Color | Clear colorless to Pale yellow | | |

| Odor | Mild hydrocarbon | |
|--|----------------------------|--|
| Odor threshold | Not available. | |
| рН | Not available. | |
| Melting point/freezing point | Not available. | |
| Initial boiling point and boiling range | Not available. | |
| Flash point | > 200.0 °F (> 93.3 °C) | |
| Evaporation rate | Not available. | |
| Flammability (solid, gas) | Not applicable. | |
| Upper/lower flammability or exp | plosive limits | |
| Flammability limit - lower (%) | Not available. | |
| Flammability limit - upper (%) | Not available. | |
| Explosive limit - lower (%) | Not available. | |
| Explosive limit - upper (%) | Not available. | |
| Vapor pressure | 0.1 hPa estimated | |
| Vapor density | Not available. | |
| Relative density | Not available. | |
| Solubility(ies) | | |
| Solubility (water) | Not available. | |
| Partition coefficient (n-octanol/water) | Not available. | |
| Auto-ignition temperature | Not available. | |
| Decomposition temperature | Not available. | |
| Viscosity | Not available. | |
| Other information | | |
| Density | 7.4 lbs/gal | |
| Explosive properties | Not explosive. | |
| Flammability class | Combustible IIIB estimated | |
| Moisture | < 0.5 % w/w | |
| Oxidizing properties | Not oxidizing. | |
| Percent volatile | 0.1 % estimated | |
| Refractive index | 1.47 | |
| Specific gravity | 0.888 | |
| | | |

10. Stability and reactivity

| Reactivity | |
|--------------------------|---|
| Chemical stability | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Possibility of hazardous | Material is stable under normal conditions. |
| reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | |
| Incompatible materials | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| Hazardous decomposition | Strong oxidizing agents. |
| products | No hazardous decomposition products are known. |

11. Toxicological information

Information on likely routes of exposure

| Inhalation | Prolonged inhalation may be harmful. |
|--------------|--|
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Causes serious eye irritation. |

| Ingestion | Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. | |
|--|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics | Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. | |
| Information on toxicological ef | fects | |
| Acute toxicity | May be fatal if swallowed and enters airways | 5. |
| Components | Species | Test Results |
| Hydrotreated Light Naphthenic D | istillates Petroleum (CAS 64742-53-6) | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 2000 mg/kg, 24 Hours |
| Inhalation | | |
| LC50 | Rat | > 3.9 mg/l, 4 Hours |
| Oral | | |
| LD50 | Rat | > 2000 mg/kg |
| Tripropylene Glycol Methyl Ether | (CAS 25498-49-1) | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | 15440 mg/kg, 24 Hours |
| Oral | - | |
| LD50 | Rat | 3400 mg/kg |
| Skin corrosion/irritation | Prolonged skin contact may cause temporar | y irritation. |
| Serious eye damage/eye irritation | Causes serious eye irritation. | |
| Respiratory or skin sensitization | | |
| Respiratory sensitization | Not a respiratory sensitizer. | |
| Skin sensitization | This product is not expected to cause skin se | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | |
| Carcinogenicity | Not classifiable as to carcinogenicity to humans. | |
| Not listed. | l Evaluation of Carcinogenicity red Substances (29 CFR 1910.1001-1052) | |
| | rogram (NTP) Report on Carcinogens | |
| | | e Human Carcinogen. |
| Reproductive toxicity | This product is not expected to cause reproc | ductive or developmental effects. |
| Specific target organ toxicity - single exposure | Not classified. | |
| Specific target organ toxicity - repeated exposure | Not classified. | |
| Aspiration hazard | May be fatal if swallowed and enters airways | S. |
| Chronic effects | Prolonged inhalation may be harmful. | |
| 12. Ecological information | 1 | |
| Ecotoxicity | | ally hazardous. However, this does not exclude the average a harmful or damaging effect on the environment. |
| Persistence and degradability | | |
| Bioaccumulative potential | No data is available on the degradability of any ingredients in the mixture. No data available. | |
| Mobility in soil | No data available. | |
| | ויט עמנמ מימוומטוה. | |

| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | |
|--|--|--|
| 13. Disposal considerations | | |
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. | |
| Local disposal regulations | Dispose in accordance with all applicable regulations. | |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. | |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). | |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. | |

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical **Classified hazard**

Acute toxicity (any route of exposure) Serious eye damage or eye irritation categories Aspiration hazard

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA)

US state regulations California Proposition 65

Not regulated.

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Hydrotreated Light Naphthenic Distillates Petroleum (CAS 64742-53-6)

International Inventories

| Country(s) or region | Inventory name On in | nventory (yes/no)* |
|-----------------------------|---|--------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
| ** *** | | |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date | 04-02-2019 |
|-----------------------------|---|
| Revision date | 04-22-2019 |
| Version # | 03 |
| HMIS® ratings | Health: 3 Flammability: 0 Physical hazard: 0 |
| NFPA ratings | Health: 2 Flammability: 0 Instability: 0 |
| NFPA ratings | 200 |
| Disclaimer | The information provid information and belief guidance for safe hand not to be considered a material designated an materials or in any pro |
| Revision information | Product and Company |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Product and Company Identification: Product Review