# SAFETY DATA SHEET

Revision Date 26-Mar-2015 Version 1

# 1. IDENTIFICATION

Product identifier

Product Name GREASED LIGHTNING SUPER STRENGTH CLEANER & DEGREASER

Other means of identification

Product Code 30101GRL

Recommended use of the chemical and restrictions on use

Recommended Use Consumer use.

Uses advised against Do not mix with other chemicals

Details of the supplier of the safety data sheet

Supplier Address HomeCare Labs, Inc. P.O. Box 491150

Lawrenceville, GA 30049-1002 Telephone: (800) 949-7946

Emergency telephone number

Emergency Telephone Chemtrec (Transportation) 1-800-424-9300, 703-527-3887

Poison Control Center (Medical): (877) 800-5553

# 2. HAZARDS IDENTIFICATION

### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

### Label elements

#### **Emergency Overview**

# Danger

### Hazard statements

Causes skin irritation

Causes serious eye damage



Color colorless Physical state liquid Odor Pleasant

### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

Call a POISON CENTER or doctor/physician if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse

### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

1.04% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Chemical Name	CAS No.	Weight-%
Surfactant	Proprietary	<2
2-butoxyethanol (Vapour and gas)	111-76-2	<0.3

# 4. FIRST AID MEASURES

#### Description of first aid measures

**Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Immediate

medical attention is required.

**Skin contact** Wash with plenty of water. Get medical attention if irritation develops and persists.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean

mouth with water and drink afterwards plenty of water. Call a physician or poison control

center immediately.

**Self-protection of the first aider**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

# Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media None known.

#### Specific hazards arising from the chemical

\_\_\_\_\_

Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions** 

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains. See Section 12 for additional ecological information.

# Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Dike far ahead of liquid spill for later

disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent

product from entering drains. After cleaning, flush away traces with water.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only in well-ventilated areas. Do not mix with

other chemicals.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

**Incompatible materials** Incompatible with strong acids and bases. Incompatible with oxidizing agents. Ammonia.

Chlorine bleach. Do not mix with other chemicals.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-butoxyethanol (Vapour and gas)	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>

(vacated) TWA: 120 mg/m³ (vacated) S\* S\*

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin and body protection Rubber gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state liquid

Appearance aqueous solution Odor Pleasant

Color colorless Odor threshold No information available

Property Values Remarks • Method

pH 12.5 - 13.0 undiluted

Melting point/freezing point No information available

Boiling point / boiling range

Flash point

Flash point

Flash point

Superior of the point in t

Flammability (solid, gas) No Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.01

Water solubility Soluble in water

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Density
No information available

DensityNo information availableBulk densityNo information availableExplosive propertiesNo information available

Oxidizing properties No information available

Other Information

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information available

# 10. STABILITY AND REACTIVITY

### Reactivity

Stable under normal conditions

### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

#### Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Ammonia. Chlorine bleach. Do not mix with other chemicals.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Inhalation** Harmful by inhalation. Irritating to respiratory system.

**Eye contact** Irritating to eyes. Risk of serious damage to eyes. May cause burns.

Skin contact Irritating to skin. Prolonged skin contact may defat the skin and produce dermatitis.

**Ingestion** Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Surfactant	= 530 mg/kg (Rat)	= 530 mg/kg (Rat)	-
2-butoxyethanol (Vapour and gas) 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg(Rabbit)	= 450 ppm (Rat) 4 h

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-butoxyethanol (Vapour	A3	Group 3	-	-
and gas)		•		
111-76-2				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

**Chronic toxicity** Avoid repeated exposure. **Aspiration hazard** No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects

1.04183% of the mixture consists of components(s) of unknown hazards to the aquatic environment

no 1100 / 0 of the minital of compensation (c) of animal of the adjustic of th			
Chemical Name	Algae/aquatic plants	Fish	Crustacea
Surfactant	-	3: 96 h Oncorhynchus mykiss mg/L	2.9: 48 h Daphnia magna mg/L
		LC50 static	EC50
2-butoxyethanol (Vapour and gas)	-	1490: 96 h Lepomis macrochirus	1000: 48 h Daphnia magna mg/L
111-76-2		mg/L LC50 static 2950: 96 h	EC50 1698 - 1940: 24 h Daphnia
		Lepomis macrochirus mg/L LC50	magna mg/L EC50

### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### **Mobility**

No information available.

Chemical Name	Partition coefficient
Surfactant	2
2-butoxyethanol (Vapour and gas) 111-76-2	0.81

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container. Refer to all federal, state and local regulations prior to disposal of

container and unused contents by reuse, recycle or disposal.

# 14. TRANSPORT INFORMATION

Note: Limited quantity (LQ) exception is possible

**DOT** Not regulated

IATA

UN/ID no. UN3267

Proper shipping name Corrosive liquid, basic, organic, n.o.s. (sodium hydroxide)

Hazard Class

\_\_\_\_\_

Packing Group ||

**Description** UN3267, Corrosive liquid, basic, organic, n.o.s. (sodium hydroxide)

**IMDG** 

UN/ID no. UN3267

Proper shipping name Corrosive liquid, basic, organic, n.o.s. (sodium hydroxide)

Hazard Class 8
Packing Group III
EmS-No. F-A. S-B

**Description** UN3267, Corrosive liquid, basic, organic, n.o.s. (sodium hydroxide)

Marine pollutant No.

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

# **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

# **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-butoxyethanol (Vapour and gas)	X	X	X
111-76-2			

### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** This product does not contain any substances regulated as pesticides **Difference between SDS and CPSC label** 

This product is regulated under Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act (16 CFR Part 1500). These requirements differ from the classification criteria and hazard

Revision Date 26-Mar-2015

\_\_\_\_\_

information required for safety data sheets and for workplace product labels.

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 1 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Regulatory Affairs Revision Date Regulatory Affairs 26-Mar-2015

Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**