

Revision Date: 01-22-2018

SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product identifier: Potassium Dichromate

Other means of identification

Product No.: 3094, 3093, 3090, 6770

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use.

Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Manufacturer

Company Name: Avantor Performance Materials, LLC.

Address: 3477 Corporate Parkway

Center Valley, PA 18034

Telephone: Customer Service: 855-282-6867

Fax: 610-573-2610

Contact Person: Environmental Health & Safety E-mail: info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Oxidizing solids Category 2

Health Hazards

Acute toxicity (Oral)

Acute toxicity (Dermal)

Acute toxicity (Inhalation - dust and

Category 1

Category 1

mist)

Skin Corrosion/Irritation Category 1B Serious Eye Damage/Eye Irritation Category 1 Respiratory sensitizer Category 1 Skin sensitizer Category 1 Germ Cell Mutagenicity Category 1B Carcinogenicity Category 1A Toxic to reproduction Category 1B Specific Target Organ Toxicity -Category 1

Repeated Exposure



Revision Date: 01-22-2018

Unknown toxicity - Health

Acute toxicity, inhalation, vapor 100 % Acute toxicity, inhalation, dust 100 %

or mist

Environmental Hazards

Acute hazards to the aquatic Category 1

environment

Chronic hazards to the aquatic Category 1

environment

Unknown toxicity - Environment

Acute hazards to the aquatic 0 %

environment

Chronic hazards to the aquatic 100 %

environment

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: May intensify fire; oxidizer.

Fatal if swallowed.

Toxic in contact with skin.

Fatal if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause genetic defects.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. [In case of inadequate ventilation] wear respiratory protection. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid

release to the environment.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call



Revision Date: 01-22-2018

a POISON CENTER/doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. If skin irritation or rash occurs: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label). Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Collect spillage.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked

up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Substances

Chemical Identity	CAS number	Content in percent (%)*
Potassium dichromate	7778-50-9	99 - 100%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Call a physician or poison control center immediately. Rinse mouth. Do

NOT induce vomiting. If vomiting occurs, keep head low so that stomach

content doesn't get into the lungs.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. Apply artificial

respiration if victim is not breathing Call a physician or poison control center

immediately.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately. In case of irritation from airborne exposure, move to fresh air.

Most important symptoms/effects, acute and delayed

Symptoms: Fatal if swallowed. Toxic in contact with skin. Fatal if inhaled. Causes

severe skin and eye burns. Causes digestive tract burns. Mist or vapor

extremely irritating to eyes and respiratory tract.

Hazards: None known.



Revision Date: 01-22-2018

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: Strong oxidizer - contact with other material may cause fire.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Flood with water from a distance.

Unsuitable extinguishing

media:

None known.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed. Strong oxidizer. Wear appropriate protective gear if spilled during firefighting.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to

flames with water until well after the fire is out.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. See Section 8 of the SDS for Personal Protective

Equipment.

Methods and material for containment and cleaning

up:

Sweep up and place in a clearly labeled container for chemical waste. Dike

far ahead of larger spill for later recovery and disposal.

Prevent entry into waterways, sewer, basements or confined areas. Inform **Notification Procedures:**

authorities if large amounts are involved.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid discharge into drains, water courses or onto

the ground.



Revision Date: 01-22-2018

7. Handling and storage

Precautions for safe handling: Wear protective gloves/protective clothing/eye protection/face protection.

Do not get in eyes, on skin, on clothing. Do not taste or swallow. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. See Section 8 of the SDS for Personal Protective Equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been

read and understood.

Conditions for safe storage, including any incompatibilities:

Keep away from food, drink and animal feeding stuffs. Keep container tightly closed. Store in a cool and well-ventilated place. Store in a corrosion-resistant container with a resistant inner liner.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values		Source
Potassium dichromate - as Cr	TWA		0.05 mg/m3	US. ACGIH Threshold Limit Values (2011)
Potassium dichromate - as Cr(VI)	TWA		0.0002 mg/m3	US. ACGIH Notice of Intended Changes (NIC) to Threshold Limit Values (03 2017)
	SKIN_DES	Can be absorbed through the skin.		US. ACGIH Notice of Intended Changes (NIC) to Threshold Limit Values (03 2017)
	STEL		0.0005 mg/m3	US. ACGIH Notice of Intended Changes (NIC) to Threshold Limit Values (03 2017)
	REL		0.0002 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2016)
Potassium dichromate	REF	29 CFR 1910.1026		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2012)
	TWA		0.005 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006)
	OSHA_AC T		0.0025 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006)
Potassium dichromate - as CrO3	Ceiling		0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Potassium dichromate	Ceiling	0.1 mg/m3 US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)		

Biological Limit Values

Oh amila al Islamilita	8		
Chemical Identity	Exposure Limit Values	Source	
Potassium dichromate (Total chromium: Sampling time: End of shift at end of work week.)	25 μg/l (Urine)	ACGIH BEI (03 2013)	
Potassium dichromate (Total chromium: Sampling time: Increase during shift.)	10 μg/l (Urine)	ACGIH BEI (03 2013)	

Appropriate Engineering Controls

No data available.



Revision Date: 01-22-2018

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield. Wear

a full-face respirator, if needed. Use tight fitting goggles if dust is generated.

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Full protective clothing should be worn when handling this product. Wear

appropriate clothing to prevent any possibility of skin contact.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter,

cartridge or canister. Contact health and safety professional or

manufacturer for specific information.

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Do not get this material in

contact with skin. Do not get in eyes.

9. Physical and chemical properties

Appearance

Physical state: Solid
Form: Crystals
Color: Red-orange
Odor: Odorless

Odor threshold: No data available. pH: No data available.

Flash Point: not applicable

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

Vapor pressure:

Vapor density:

No data available.



Revision Date: 01-22-2018

Relative density: 2.68 (25 °C)

Solubility(ies)

Solubility in water: 45 g/l (25 °C)

1,020 g/l (100 °C)

Solubility (other): alcohol: Insoluble
Partition coefficient (n-octanol/water): No data available.
Auto-ignition temperature: No data available.

Decomposition temperature: 500 °C

Viscosity: No data available.

Other information

Molecular weight: 294.18 g/mol (Cr2H2O7.2K)

10. Stability and reactivity

Reactivity: Contact with combustible material may cause fire.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Contact with incompatible materials. Heat.

Incompatible Materials: Strong reducing agents. Metals. Hydrazine. Flammable/combustible

material.

Hazardous Decomposition

Products:

In case of fire, toxic gases may be formed.

11. Toxicological information

Information on likely routes of exposure

Inhalation: Fatal if inhaled. Irritating to respiratory tract.

Skin Contact: Causes severe skin burns. Toxic in contact with skin.

Eye contact: Causes serious eye damage.

Ingestion: Fatal if swallowed. May cause burns of the gastrointestinal tract if

swallowed.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): 17 - 168 mg/kg

Dermal

Product: LD 50 (Rabbit) 403 - 1,330 mg/kg

Inhalation

Product: LC 50 (Rat, 4 h) 0.029 - 0.035 mg/l

LC 50 (Rat, 4 h): 83 - 263 mg/m3



Revision Date: 01-22-2018

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: Causes severe skin burns.

Serious Eye Damage/Eye Irritation

Product: Causes serious eye damage.

Respiratory or Skin Sensitization

Product: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Carcinogenicity

Product: May cause cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Potassium Overall evaluation: 1. Carcinogenic to humans.

dichromate

US. National Toxicology Program (NTP) Report on Carcinogens:

Potassium Known To Be Human Carcinogen.

dichromate

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

Potassium

dichromate Cancer

Germ Cell Mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: May damage fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure

Product: None known.

Specific Target Organ Toxicity - Repeated Exposure

Product: Causes damage to organs through prolonged or repeated exposure.

Aspiration Hazard

Product: Not classified

Other effects: None known.



Revision Date: 01-22-2018

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Potassium dichromate LC 50 (Fathead minnow (Pimephales promelas), 96 h): 14 - 66.1 mg/l

LC 50 (Bluegill (Lepomis macrochirus), 96 h): 39.7 - 382 mg/l LC 50 (Guppy (Poecilia reticulata), 96 h): 23 - 41.2 mg/l LC 50 (Zebra danio (Danio rerio), 96 h): 19.44 - 67.4 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Potassium dichromate EC 50 (Water flea (Daphnia magna), 48 h): 0.0178 - 0.39 mg/l

EC 50 (Water flea (Daphnia pulex), 48 h): 0.02 - 0.32 mg/l EC 50 (Rotifer (Philodina acuticornis), 48 h): 19 - 31.2 mg/l LC 50 (Water flea (Daphnia magna), 48 h): 0.119 - 2.79 mg/l LC 50 (Water flea (Daphnia pulex), 48 h): 0.131 - 1.7 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: There are no data on the degradability of this product.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Other adverse effects: Very toxic to aquatic life with long lasting effects.



Revision Date: 01-22-2018

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.

14. Transport information

DOT

UN Number: UN 3288

UN Proper Shipping Name: Toxic solid, inorganic, n.o.s.(Potassium dichromate)

Transport Hazard Class(es)

Class: 6.1
Label(s): 6.1
Packing Group: III
Marine Pollutant: No

Special precautions for user: Not determined.

IMDG

UN Number: UN 3288

UN Proper Shipping Name: TOXIC SOLID, INORGANIC, N.O.S. (Potassium dichromate)

Transport Hazard Class(es)

Class: 6.1
Label(s): 6.1
EmS No.: F-A, S-A
Packing Group: III
Marine Pollutant: No

Special precautions for user: Not determined.

IATA

UN Number: UN 3288

Proper Shipping Name: Toxic solid, inorganic, n.o.s.(Potassium dichromate)

Transport Hazard Class(es):

Class: 6.1
Label(s): 6.1
Packing Group: III
Marine Pollutant: No

Special precautions for user: Not determined.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Chemical Identity Reportable quantity

Potassium dichromate De minimis concentration: 0.1% Annual Export Notification required.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Chemical Identity OSHA hazard(s)
Potassium dichromate Eve irritation

Clair consisting to

Skin sensitization

Cancer



Revision Date: 01-22-2018

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> <u>Reportable quantity</u>

Potassium dichromate 10 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

Chemical Identity Reportable quantity

Potassium dichromate 10 lbs.

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Potassium dichromate 10000 lbs.

SARA 313 (TRI Reporting)

Reporting Reporting threshold for

threshold for manufacturing and

Chemical Identityother usersprocessingPotassium dichromate10000 lbs.25000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):

Chemical IdentityReportable quantityPotassium dichromateReportable quantity: 10 lbs.

US State Regulations

US. California Proposition 65

Potassium dichromate Carcinogenic.

Potassium dichromate Male reproductive toxin.
Potassium dichromate Female reproductive toxin.
Potassium dichromate Developmental toxin.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Potassium dichromate

US. Massachusetts RTK - Substance List

Chemical Identity

Potassium dichromate

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Potassium dichromate



Revision Date: 01-22-2018

US. Rhode Island RTK

Chemical Identity

Potassium dichromate

International regulations

Montreal protocol

not applicable

Stockholm convention

not applicable

Rotterdam convention

not applicable

Kyoto protocol


not applicable

Inventory Status:

Australia AICS: On or in compliance with the inventory Canada DSL Inventory List: On or in compliance with the inventory EINECS, ELINCS or NLP: On or in compliance with the inventory Japan (ENCS) List: On or in compliance with the inventory On or in compliance with the inventory China Inv. Existing Chemical Substances: Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory Philippines PICCS: On or in compliance with the inventory US TSCA Inventory: On or in compliance with the inventory New Zealand Inventory of Chemicals: On or in compliance with the inventory On or in compliance with the inventory Mexico INSQ: Taiwan Chemical Substance Inventory: On or in compliance with the inventory

16.Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible OXY: Oxidizer

Issue Date: 01-22-2018

Revision Information: Not relevant.

Version #: 1.1



Revision Date: 01-22-2018

Source of information:

Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other manufacturer's SDSs and other sources, as appropriate.

Further Information:

No data available.

Disclaimer:

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.