

SAFETY DATA SHEET

Version 6.7 Revision Date 11/27/2021 Print Date 06/28/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Iodine
Product Number	: 266426
Brand	: SIGALD
Index-No.	: 053-001-00-3
CAS-No.	: 7553-56-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Specific target organ toxicity - repeated exposure, Oral (Category 1), Thyroid, H372 Short-term (acute) aquatic hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

SIGALD - 266426

Page 1 of 12



Pictogram	
Signal word	Danger
Hazard statement(s) H302 + H312 + H332 H315 H319 H335 H372 H400	Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Causes damage to organs (Thyroid) through prolonged or repeated exposure if swallowed. Very toxic to aquatic life.
Precautionary statement(s)	
P260 P264 P270 P271 P273 P280 P301 + P312 + P330 P302 + P352 + P312 P304 + P340 + P312 P305 + P351 + P338	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
P314 P332 + P313 P337 + P313 P362 P391 P403 + P233 P405 P501	rinsing. Get medical advice/ attention if you feel unwell. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Collect spillage. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances Formula	:	I ₂		
	Molecular weight CAS-No.	:	253.81 g/mol 7553-56-2		
	EC-No. Index-No.	:	231-442-4 053-001-00-3		
	Component	•	055-001-00-5	Classification	Concentration

SIGALD - 266426

Page 2 of 12



Iodine		
	Acute Tox. 4; Skin Irrit. 2;	<= 100 %
	Eye Irrit. 2A; STOT SE 3;	
	STOT RE 1; Aquatic Acute	
	1; H302, H332, H312,	
	H315, H319, H335, H372,	
	H400	
	M-Factor - Aquatic Acute:	
	1	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Hydrogen iodide

Not combustible.

Ambient fire may liberate hazardous vapours.

SIGALD - 266426

Page 3 of 12



5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4 Reference to other sections** For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Handle and store under inert gas. Hygroscopic.

Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD - 266426

Page 4 of 12



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters				
Component	CAS-No.	Value	Control parameters	Basis
Iodine	7553-56-2	С	0.1 ppm 1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.01 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifia	able as a human	carcinogen
		STEL	0.1 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Not classifiable as a human carcinogen		carcinogen
		С	0.1 ppm 1 mg/m3	USA. NIOSH Recommended Exposure Limits
		С	0.1 ppm 1 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		С	0.1 ppm 1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

Ingredients with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber

SIGALD - 266426

Page 5 of 12



Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: Beads Color: black, violet
b)	Odor	pungent
c)	Odor Threshold	No data available
d)	рН	5.4
e)	Melting point/freezing point	Melting point/range: 113 °C (235 °F) - lit.
f)	Initial boiling point and boiling range	184 °C 363 °F - lit.
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	0.41 hPa at 25 °C (77 °F)
I)	Vapor density	No data available
m)	Density	4.930 g/cm3 at 20 °C (68 °F)
	Relative density	No data available
n)	Water solubility	0.3 g/l at 25 °C (77 °F) - slightly soluble
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
с 7	C (4) C	

SIGALD - 266426

Page 6 of 12



- s) Explosive properties No data available
- t) Oxidizing properties No data available
- **9.2 Other safety information** No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with: Reducing agents Alkali metals Acetylene Ammonia Potassium copper compounds sodium oxyhalogenic compounds Boron halogen oxides iodides azides ammonium compounds antimony in powder form mercury oxide with Methanol and ethanol Risk of ignition or formation of inflammable gases or vapours with: Powdered metals Zinc semimetals halogen-halogen compounds nonmetals nonmetallic oxides alkali salts Iron Fluorine formaldehyde hydrides sodium phosphite phosphorus sulfur Titanium powdered aluminium SIGALD - 266426

Page 7 of 12



acetylidene combustible substances powdered magnesium petrol butadiene Diethyl ether with Aluminum Exothermic reaction with: carbides azides turpentine oils and/or turpentine substitutes alkali oxides lithium silicide alkaline earth compounds nitrides Acetaldehyde Lithium fluorides Oxides of phosphorus Chlorine Iron in powder form

10.4 Conditions to avoid

no information available

10.5 Incompatible materials No data available

10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity LD50 Oral - Rat - 315 mg/kg (US-EPA) Remarks: The GHS classification specified by the authority LC50 Inhalation - Rat - male and female - 4 h - > 4.588 mg/l - dust/mist

(OECD Test Guideline 403) Remarks: (Regulation (EC) No 1272/2008, Annex VI) LD50 Dermal - Rabbit - male and female - 1,425 mg/kg (US-EPA) No data available

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: Moderate skin irritation

SIGALD - 266426

Page 8 of 12



(Regulation (EC) No. 440/2008, Annex, B.46)

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

In animal experiments: - Mouse Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): Test system: Mouse lymphoma test Metabolic activation: without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: In vivo micronucleus test Species: Mouse

Application Route: Intraperitoneal Method: Mutagenicity (micronucleus test) Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory system

Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure. - Thyroid

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - female - Oral - 100 d Remarks: (as aqueous solution)

Repeated dose toxicity - Rat - male and female - Oral - 29 - 47 d - NOAEL (No observed adverse effect level) - 10 mg/kg

RTECS: NN1575000

Prolonged exposure to iodides may produce iodism in sensitive individuals. Symptoms of exposure include: skin rash, running nose, headache and irritation of the mucous membrane. For severe cases the skin may show pimples, boils, hives, blisters and black and blue spots. Iodides are readily diffused across the placenta. Neonatal deaths from respiratory distress secondary to goiter have been reported. Iodides have been known to

SIGALD - 266426

Page 9 of 12



cause drug-induced fevers, which are usually of short duration., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	static test LC50 - Oncorhynchus mykiss (rainbow trout) - 1.67 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 0.55 mg/l - 48 h Remarks: (ECHA)
	EC50 - Daphnia magna (Water flea) - 0.2 mg/l - 48 h
Toxicity to algae	Growth inhibition ErC50 - Desmodesmus subspicatus (green algae) - 0.13 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	EC50 - activated sludge - 280 mg/l - 3 h (OECD Test Guideline 209)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

No data available

SIGALD - 266426

Page 10 of 12



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information						
DOT (US) UN number: 3495 Class: 8 (6.1) Proper shipping name: Iodine Reportable Quantity (RQ): Poison Inhalation Hazard: No	Packing group: III					
IMDG UN number: 3495 Class: 8 (6.1) Proper shipping name: IODINE Marine pollutant : yes	Packing group: III	EMS-No: F-A, S-B				
IATA UN number: 3495 Class: 8 (6.1) Proper shipping name: Iodine	Packing group: III					

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any

SIGALD - 266426

Page 11 of 12



damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7

Revision Date: 11/27/2021

Print Date: 06/28/2022

SIGALD - 266426

Page 12 of 12

