

SAFETY DATA SHEET according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

	Revision Date 03/22/2018	Version 1.2
SISECTION 1.Identification Product identifier		
Product number	PX1535	
Product name	Potassium Oxalate Monohydrate GR ACS	
CAS-No.	6487-48-5	
Relevant identified uses of the	ne substance or mixture and uses advised against	
Identified uses	Reagent for analysis	
Details of the supplier of the	safety data sheet	
Company	EMD Millipore Corporation 400 Summit Drive Burlington Massachusetts 01803 United States of America General Inquiries +1 800-645-5476 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.	:
Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week	

SECTION 2. Hazards identification

GHS Classification

Acute toxicity, Category 4, Oral, H302 Acute toxicity, Category 4, Dermal, H312 Eye irritation, Category 2A, H319 For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word Warning

Hazard Statements H302 + H312 Harmful if swallowed or in contact with skin. H319 Causes serious eye irritation.

Product number	PX1535	Version 1.2
Product name	Potassium Oxalate Monohydrate GR ACS	

Precautionary Statements

P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ eye protection/ face protection.
P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P322 Specific measures (see supplemental first aid instructions on this label).
P330 Rinse mouth.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula	K2C2O4 * H2O	C₂K₂O₄ * H₂O (Hill)
Molar mass	184.24 g/mol	

Hazardous ingredients

Chemical name (Concentration) CAS-No. di-Potassium oxalate monohydrate (>= 90 % - <= 100 %) 6487-48-5

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

General advice First aider needs to protect himself.

Inhalation After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

Ingestion After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Product number	PX1535	Version 1.2
Product name	Potassium Oxalate Monohydrate GR ACS	

irritant effects

The following applies to oxalates in general: nausea and vomiting after swallowing. Mucosal irritations, coughing, and dyspnoea after inhalation. Systemic effect: drop in the blood calcium level, toxic effect on kidneys, cardiovascular disorders.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

Advice for firefighters

Special protective equipment for fire-fighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system. Suppress (knock down) gases/vapors/mists with a water spray jet.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Product number PX1535 Potassium Oxalate Monohydrate GR ACS Product name

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Store at room temperature.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Contains no substances with occupational exposure limit values.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0.11 mm
Break through time:	> 480 min
-	
Glove material:	Nitrile rubber
Glove thickness:	0.11 mm

splash contact:

Break through time:

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

> 480 min

.

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment: protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be

Product number	PX1535	Version 1.2
Product name	Potassium Oxalate Monohydrate GR ACS	

properly documented.

SECTION 9. Physical and chemical properties		
Physical state	solid	
Color	white	
Odor	odorless	
Odor Threshold	Not applicable	
рН	7.0 - 8.5 at 50 g/l 68 °F (20 °C)	
Melting point	> 280 °F (> 138 °C)	
	Method: OECD Test Guideline 102 Decomposes before melting.	
Boiling point/boiling range	Not applicable, (decomposition)	
Flash point	Not applicable	
Evaporation rate	No information available.	
Flammability (solid, gas)	The product is not flammable. Flammability (solids)	
Lower explosion limit	No information available.	
Upper explosion limit	No information available.	
Vapor pressure	< 0.1 hPa at 68 °F (20 °C) Method: OECD Test Guideline 104	
Relative vapor density	No information available.	
Density	2.20 g/cm3 at 68.7 °F (20.4 °C) Method: OECD Test Guideline 109	
Relative density	No information available.	
Water solubility	392 g/l at 68 °F (20 °C) Method: OECD Test Guideline 105	

SAFETY DATA SHEET according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number Product name	PX1535 Potassium Oxalate Monohydrate GR ACS	Version 1.2
Partition coefficient: n- octanol/water	log Pow: < -5.2 (20 °C) OECD Test Guideline 107 Bioaccumulation is not expected.	
Autoignition temperature	No information available.	
Decomposition temperature	ca.280 °F (138 °C)	
Viscosity, dynamic	No information available.	
Explosive properties	Not classified as explosive.	
Oxidizing properties	none	
Bulk density	ca.700 - 1,100 kg/m3	
Particle size	Mean particle size 397.8 μm Method: OECD Test Guideline 110	

SECTION 10. Stability and reactivity

Reactivity See below

Chemical stability

releases water of crystallization when heated.

Possibility of hazardous reactions

Risk of explosion with:

Strong oxidizing agents

Conditions to avoid

Strong heating (decomposition).

Incompatible materials

no information available

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Eye contact, Skin contact, Ingestion

Acute oral toxicity

LD50 Rat: 375 mg/kg (Lit.) The value is given in analogy to the following substances: Oxalic acid

Product number	PX1535	Version 1.2
Product name	Potassium Oxalate Monohydrate GR ACS	

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity Acute toxicity estimate : 1,100.1 mg/kg Expert judgment

Skin irritation In vitro study Result: negative OECD Test Guideline 439 The value is given in analogy to the following substances: di-Ammonium oxalate monohydrate

Eye irritation In vitro study Result: positive OECD Test Guideline 492 The value is given in analogy to the following substances: di-Ammonium oxalate monohydrate

In vitro study Result: non-corrosive OECD Test Guideline 437 The value is given in analogy to the following substances: di-Ammonium oxalate monohydrate

Causes serious eye irritation.

Sensitization Local lymph node assay (LLNA) Mouse Result: negative Method: OECD Test Guideline 429

The value is given in analogy to the following substances: di-Ammonium oxalate monohydrate

Genotoxicity in vitro Ames test Escherichia coli/Salmonella typhimurium Result: negative Method: OECD Test Guideline 471 The value is given in analogy to the following substances: Oxalic acid

Specific target organ systemic toxicity - single exposure The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC	No ingredient of this product present at levels greater than or
	equal to 0.1% is identified as probable, possible or confirmed
	human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or

Product number Product name	PX1535 Potassium Oxalate Monohydrate GR ACS	Version 1.2
	equal to 0.1% is on OSHA's list of regulated carcinogens.	
NTP	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a known or anticipated carcinogen	
	by NTP.	
ACGIH	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by ACGIH.	

Further information

After absorption:

We have no description of any toxic symptoms. The following applies to oxalates in general: nausea and vomiting after swallowing. Mucosal irritations, coughing, and dyspnoea after inhalation. Systemic effect: drop in the blood calcium level, toxic effect on kidneys, cardiovascular disorders. Other dangerous properties can not be excluded. Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to daphnia and other aquatic invertebrates semi-static test EC50 Daphnia magna (Water flea): > 100 mg/l; 48 h Analytical monitoring: yes OECD Test Guideline 202 The value is given in analogy to the following substances: di-Ammonium oxalate monohydrate

Toxicity to algae static test ErC50 Pseudokirchneriella subcapitata (green algae): > 78 mg/l; 72 h Analytical monitoring: yes OECD Test Guideline 201 The value is given in analogy to the following substances: di-Ammonium oxalate monohydrate

static test NOEC Pseudokirchneriella subcapitata (green algae): 78 mg/l; 72 h Analytical monitoring: yes OECD Test Guideline 201 The value is given in analogy to the following substances: di-Ammonium oxalate monohydrate

Persistence and degradability

Biodegradability 89 %; 20 d; aerobic Directive 67/548/EEC, Annex V, C.5. The value is given in analogy to the following substances: Oxalic acid Readily biodegradable.

Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: < -5.2 (20 °C) OECD Test Guideline 107 Bioaccumulation is not expected.

Mobility in soil

Product number	PX1535	Version 1.2
Product name	Potassium Oxalate Monohydrate GR ACS	

No information available.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

DEA List I Not listed

DEA List II Not listed

US State Regulations

Massachusetts Right To Know Remarks

Product number	PX1535	Version 1.2
Product name	Potassium Oxalate Monohydrate GR ACS	

No components are subject to the Massachusetts Right to Know Act.

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA:	All components of the product are listed in the TSCA-inventory.

DSL:

All components of this product are on the Canadian DSL

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling Hazard pictograms



Signal Word Warning

Hazard Statements H302 + H312 Harmful if swallowed or in contact with skin. H319 Causes serious eye irritation.

Precautionary Statements

Response P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date03/22/2018

Product number	PX1535	Version 1.2
Product name	Potassium Oxalate Monohydrate GR ACS	

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.