

# **SAFETY DATA SHEET**

Version 6.3 Revision Date 04/28/2021 Print Date 04/16/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifiers**

Product name	<sup>:</sup> Potassium thiocyanate
Product Number	: 207799
Brand	: SIGALD
Index-No.	: 615-030-00-5
CAS-No.	: 333-20-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

### 1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

## **1.4 Emergency telephone**

Emergency Phone #	: 800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24
	Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



SIGALD - 207799

Page 1 of 11



Signal word	Danger
Hazard statement(s) H302 + H312 + H332 H318 H401 H412	Harmful if swallowed, in contact with skin or if inhaled. Causes serious eye damage. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement(s) P261 P264 P270 P271 P273 P280	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 P501	Wash contaminated clothing before reuse. Dispose of contents/ container to an approved waste disposal plant.

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS** Contact with acids liberates very toxic gas.

1	<b>Substances</b> Synonyms	:	Potassium rhodanide	2	
	Formula Molecular weight CAS-No. EC-No. Index-No.	:	CKNS 97.18 g/mol 333-20-0 206-370-1 615-030-00-5		
	Component			Classification	Concentration
	Potassium thiocyanate	е			
				Acute Tox. 4; Eye Dam. 1; Aquatic Acute 2; Aquatic Chronic 3; H302, H332, H312, H318, H401, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD - 207799

Page 2 of 11



## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

### General advice

Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Potassium oxides Not combustible. Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SIGALD - 207799

Page 3 of 11



## **SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4 Reference to other sections** For disposal see section 13.

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Dry. Do not store near acids.

Air, light, and moisture sensitive. Handle and store under inert gas. Storage class (TRGS 510): 13: Non Combustible Solids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

**Ingredients with workplace control parameters** Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SIGALD - 207799

Page 4 of 11



## **Personal protective equipment**

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

## **Body Protection**

protective clothing

## Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

a) Appearance

### 9.1 Information on basic physical and chemical properties

Form: crystalline

.,		Color: white
b)	Odor	odorless
c)	Odor Threshold	Not applicable
d)	рН	4.8 at 1,070 g/l at 20.1 °C (68.2 °F)
e)	Melting point/freezing point	Melting point/range: 173 °C (343 °F) - lit.
f)	Initial boiling point and boiling range	<= 400 °C <= 752 °F at 1,013 hPa - OECD Test Guideline 103

SIGALD - 207799

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Page 5 of 11

g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	< 0.1 hPa at 20 °C (68 °F) - OECD Test Guideline 104
I)	Vapor density	No data available
m)	Relative density	1.91 at 20 °C (68 °F) - OECD Test Guideline 109
n)	Water solubility	1,000 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - completely soluble
o)	Partition coefficient: n-octanol/water	- Not applicable for inorganic substances
p)	Autoignition temperature	not auto-flammable
q)	Decomposition temperature	500 °C (932 °F) -
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	The product has been shown not to be oxidizing in a test following Directive 67/548/EEC (Method A17, oxidizing properties).
O+h	or cofoty informatio	

## 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

Contact with acids liberates very toxic gas.

### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## **10.3** Possibility of hazardous reactions

Risk of explosion with: perchloryl fluoride Strong oxidizing agents Generates dangerous gases or fumes in contact with: Acids Possible formation of: Hydrogen cyanide (hydrocyanic acid) Risk of ignition or formation of inflammable gases or vapours with: Chlorites Generates dangerous gases or fumes in contact with: Acids

SIGALD - 207799

Page 6 of 11



- **10.4 Conditions to avoid** Avoid moisture. no information available
- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### **11.1** Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - 854 mg/kg Remarks: Behavioral:Convulsions or effect on seizure threshold.Lungs, Thorax, or Respiration:Dyspnea.(RTECS) Acute toxicity estimate Inhalation - 1.6 mg/l (Expert judgment) Symptoms: Possible damages:, May cause irritation of respiratory tract.Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402) No data available

### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: No skin irritation - 5 min (Regulation (EC) No. 440/2008, Annex, B.46) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: sodium thiocyanate

### Serious eye damage/eye irritation

Eyes - Rabbit Result: Irreversible effects on the eye (OECD Test Guideline 405) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: sodium thiocyanate

### **Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: sodium thiocyanate

### Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

SIGALD - 207799

Page 7 of 11



Remarks: (in analogy to similar products) The value is given in analogy to the following substances: sodium thiocyanate Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Ammonium thiocyanate Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: sodium thiocyanate

## Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

### **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 92 d - NOAEL (No observed adverse effect level) - 20 mg/kgRemarks: (in analogy to similar products) The value is given in analogy to the following substances: Ammonium thiocyanate

RTECS: XL1925000

Nausea, Headache, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

agitation, spasms ataxia (impaired locomotor coordination)

SIGALD - 207799

Page 8 of 11



Systemic effects:

CNS disorders cardiovascular disorders

After long-term exposure to the chemical:

Changes in the blood count

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

## SECTION 12: Ecological information

## **12.1 Toxicity**

Toxicity to fish	static test LC50 - Oncorhynchus mykiss (rainbow trout) - 65 mg/l - 96 h (OECD Test Guideline 203) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Ammonium thiocyanate
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 3.56 mg/l - 48 h (OECD Test Guideline 202) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Ammonium thiocyanate
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata - > 234.3 mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Ammonium thiocyanate
Toxicity to bacteria	static test NOEC - activated sludge - >= 2 mg/l - 28 d (OECD Test Guideline 301D) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Ammonium thiocyanateThe value is given in analogy to the following substances: Potassium thiocyanate

SIGALD - 207799

Page 9 of 11



### 12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d Result: 80 % - Readily biodegradable. (OECD Test Guideline 301D) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Ammonium thiocyanate

## 12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 16 Weeks - 35000 µg/l(Potassium thiocyanate)

Bioconcentration factor (BCF): 13.4

## 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### **13.1 Waste treatment methods**

### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14: Transport information**

### DOT (US)

Not dangerous goods

### IMDG

Not dangerous goods

### ΙΑΤΑ

Not dangerous goods

### Further information

Not classified as dangerous in the meaning of transport regulations.

### SECTION 15: Regulatory information

### SARA 302 Components

SIGALD - 207799

Page 10 of 11



This material does not contain any components with a section 302 EHS TPQ.

### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components Potassium thiocyanate	CAS-No.	Revision Date
	333-20-0	
New Jersey Right To Know Components		
Potassium thiocyanate	CAS-No. 333-20-0	Revision Date

## **SECTION 16: Other information**

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3

Revision Date: 04/28/2021

Print Date: 04/16/2022

SIGALD - 207799

Page 11 of 11



