

SAFETY DATA SHEET

Creation Date 12-Oct-2010

Revision Date 14-Feb-2020

Revision Number 3

1. Identification

Product Name

Aluminum shot

36293

Cat No. :

CAS-No Synonyms 7429-90-5 No information available

Recommended UseLaboratory chemicals.Uses advised againstFood, drug, pesticide or biocidal product use.Details of the supplier of the safety data sheet

<u>Company</u>

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

Label Elements
None required

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Aluminum	7429-90-5	99

4. First-aid measures					
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.				
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.				
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.				
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.				
Most important symptoms and	None reasonably foreseeable.				
effects Notes to Physician	Treat symptomatically				

5. Fire-fighting measures

Unsuitable Extinguishing Media	No information available
Flash Point Method -	Not applicable No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Fumes of aluminum or aluminum oxide.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 1	Flammability 1	Instability 1	Physical hazards N/A W
	6. Accidental re	lease measures	
Personal Precautions	Use personal protective eq formation.	uipment as required. Ensure ad	dequate ventilation. Avoid dust
Environmental Precautions	Should not be released into	o the environment.	

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Aluminum	TWA: 1 mg/m ³	(Vacated) TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 1 mg/m ³ TWA: 5
	_	(Vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³	mg/m ³
		TWA: 15 mg/m ³	_	-
		TWA: 5 mg/m ³		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

None under normal use conditions.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	No protective equipment is needed under normal use conditions.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

7. T Hysica	rand chemical properties
Physical State	Solid; Various Form
Appearance	Silver / Grey
Odor	Odorless
Odor Threshold	No information available
pH	Not applicable
Melting Point/Range	660 °C / 1220 °F
Boiling Point/Range	2327 °C / 4220.6 °F @ 760 mmHg
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	2.700
Solubility	insoluble
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	Al
Molecular Weight	26.97

10. Stability and reactivity

Reactive Hazard	None known, based on information available				
Stability	Stable under norm	al conditions.			
Conditions to Avoid	Incompatible produ moist air or water.	ucts. Excess heat.	Avoid dust format	ion. Exposure to ai	r. Exposure to
ncompatible Materials	Strong oxidizing ag	gents			
lazardous Decomposition Product	s Fumes of aluminur	n or aluminum ox	ide		
lazardous Polymerization	Hazardous polyme	rization does not	occur.		
Hazardous Reactions	None under norma	l processing.			
	11. Toxico	logical info	ormation		
Acute Toxicity					
Product Information	No acute toxicity in	formation is avail	able for this produc	ct	
Component Information Toxicologically Synergistic Products	No information ava	ilable			
Delayed and immediate effects as v	vell as chronic effe	cts from short ar	nd long-term expo	osure	
ritation	No information available				
Sensitization	No information available				
	The table below indicates whether each agency has listed any ingredient as a carcin				
Carcinogenicity	The table below inc	dicates whether e	ach agency has lis	ted any ingredient	as a carcinog
Carcinogenicity Component CAS-No	IARC	dicates whether e	ach agency has lis	ted any ingredient	as a carcinog Mexico
ComponentCAS-NoAluminum7429-90-5	IARC Not listed	NTP Not listed			-
ComponentCAS-NoAluminum7429-90-5	IARC	NTP Not listed	ACGIH	OSHA	Mexico
Component CAS-No Aluminum 7429-90-5 Iutagenic Effects	IARC Not listed	NTP Not listed ilable	ACGIH	OSHA	Mexico
Component CAS-No	IARC Not listed No information ava	NTP Not listed ilable ilable.	ACGIH	OSHA	Mexico
Component CAS-No Aluminum 7429-90-5 Mutagenic Effects Reproductive Effects	IARC Not listed No information ava	NTP Not listed ilable ilable. ilable.	ACGIH	OSHA	Mexico
Component CAS-No Aluminum 7429-90-5 Mutagenic Effects Reproductive Effects Developmental Effects	IARCNot listedNo information avaNo information avaNo information avaNo information ava	NTP Not listed ilable ilable. ilable.	ACGIH	OSHA	Mexico
Component CAS-No Aluminum 7429-90-5 Autagenic Effects Reproductive Effects Developmental Effects Feratogenicity STOT - single exposure STOT - repeated exposure	IARC Not listed No information ava No information ava No information ava No information ava	NTP Not listed ilable ilable. ilable.	ACGIH	OSHA	Mexico
Component CAS-No Aluminum 7429-90-5 Mutagenic Effects Reproductive Effects Developmental Effects Feratogenicity STOT - single exposure	IARC Not listed No information ava No information ava No information ava No information ava None known None known None known	NTP Not listed ilable ilable. ilable. ilable.	ACGIH	OSHA	Mexico
Component CAS-No Aluminum 7429-90-5 Mutagenic Effects Reproductive Effects Developmental Effects Feratogenicity STOT - single exposure STOT - repeated exposure STOT - repeated exposure Stort - repeated exposure Spiration hazard Symptoms / effects, both acute and	IARC Not listed No information ava No information ava No information ava No information ava None known None known None known	NTP Not listed iilable iilable. iilable. iilable.	ACGIH	OSHA	Mexico
Component CAS-No Aluminum 7429-90-5 Mutagenic Effects Reproductive Effects Developmental Effects Feratogenicity STOT - single exposure STOT - repeated exposure STOT - repeated exposure Stort - repeated exposure Aspiration hazard Symptoms / effects,both acute and	IARC Not listed No information ava No information ava No information ava No information ava None known None known None known No information ava	NTP Not listed iilable iilable. iilable. iilable. iilable	ACGIH Not listed	OSHA Not listed	Mexico
Component CAS-No Aluminum 7429-90-5 Mutagenic Effects Reproductive Effects Developmental Effects Feratogenicity STOT - single exposure STOT - repeated exposure STOT - repeated exposure Stort - repeated exposure Stort - repeated exposure Stort - repeated exposure Aspiration hazard Symptoms / effects,both acute and delayed Endocrine Disruptor Information	IARC Not listed No information ava No information ava No information ava No information ava None known None known No information ava No information ava No information ava The toxicological p	NTP Not listed iilable iilable. iilable. iilable. iilable	ACGIH Not listed	OSHA Not listed	Mexico

Persistence and Degradability Insoluble in water

Bioaccumulation/ Accumulation No information available.

Mobility	Is not likely mobile in the environment due its low water solubility.
	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
	14. Transport information
DOT	Not regulated
DOT	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
	15. Regulatory information

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Aluminum	7429-90-5	Х	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Aluminum	7429-90-5	Х	-	231-072-3	Х	Х	Х	Х	KE-00881

U.S. Federal Regulations

SARA 313

Component		CAS-No	Weight %	SARA 313 - Threshold Values %	
Aluminum		7429-90-5	99	1.0	
SARA 311/312 Hazard Categories	See section 2 f	or more information			
CWA (Clean Water Act)	Not applicable				
Clean Air Act	Not applicable				
OSHA - Occupational Safety and Health Administration	Not applicable				
CERCLA	Not applicable				
California Proposition 65	This product de	pes not contain any Prop	osition 65 chemicals.		
U.S. State Right-to-Know					

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Aluminum	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product contains the following DHS chemicals: **Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Aluminum	-

Other International Regulations

Mexico - Grade

No information available

	16. Other information	
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com	
Creation Date	12-Oct-2010	
Revision Date	14-Feb-2020	
Print Date	14-Feb-2020	
Revision Summary	SDS authoring systems update, replaces ChemGes SDS No. 7429-90-5/2.	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS