

# **SAFETY DATA SHEET**

Version 6.10 Revision Date 05/25/2023 Print Date 11/11/2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifiers**

	Product name	:	Tin(II) chloride dihydrate
	Product Number Brand CAS-No.	::	31669 SIGALD 10025-69-1
1.2	2 Relevant identified uses of the substance or mixture and uses advised agains		
	Identified uses	:	Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Emorgoncy tolonhono		
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

# 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals (Category 1), H290 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Skin sensitization (Category 1), H317 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Specific target organ toxicity - repeated exposure, Oral (Category 2), Cardio-vascular system, H373 Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

SIGALD - 31669

Page 1 of 11



For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard statement(s) H290 H302 + H332 H314 H317 H335 H373 H412	May be corrosive to metals. Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause respiratory irritation. May cause damage to organs (Cardio-vascular system) through prolonged or repeated exposure if swallowed. Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P234	Keep only in original container.
P260	Do not breathe dust.
P264	Wash skin thoroughly after handling.
P270 P271	Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the
12,2	workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
P301 + P312 + P330	protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable
P305 + P351 + P338 +	for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue
	rinsing. Immediately call a POISON CENTER/ doctor.
P314	Get medical advice/ attention if you feel unwell.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405 P406	Store locked up. Store in corrosive resistant container with a resistant inner
1 100	liner.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SIGALD - 31669

Page 2 of 11



# SECTION 3: Composition/information on ingredients

# 3.1 Substances

Synonyms	:	Stannous chloridedihydrate
Formula Molecular weight CAS-No. EC-No.	:	Cl <sub>2</sub> Sn · 2H <sub>2</sub> O 225.65 g/mol 10025-69-1 231-868-0

Component	Classification	Concentration
Stannous chloride dihydrate		
	Met. Corr. 1; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; STOT SE 3; STOT RE 2; Aquatic Acute 3; Aquatic Chronic 3; H290, H302, H332, H314, H318, H317, H335, H373, H402, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

# If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

SIGALD - 31669

Page 3 of 11



# SECTION 5: Firefighting measures

# 5.1 Extinguishing media

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas Tin/tin oxides Not combustible. Ambient fire may liberate hazardous vapours.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

**6.2 Environmental precautions** Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

**6.4 Reference to other sections** For disposal see section 13.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

Advice on safe handling Work under hood. Do not inhale substance/mixture.

# **Hygiene measures**

SIGALD - 31669

Page 4 of 11



Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

No metal containers. Tightly closed. Dry.

### Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

# Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Stannous chloride dihydrate	10025-69- 1	TWA	2 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	2 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

# 8.2 Exposure controls

# Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# **Personal protective equipment**

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

# Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

SIGALD - 31669

Page 5 of 11



Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Body Protection**

protective clothing

# **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: Fine crystals and fragments Color: white b) Odor odorless c) Odor Threshold Not applicable d) pH No data available e) Melting Melting point: 38 °C (100 °F) point/freezing point Initial boiling point No data available f) and boiling range g) Flash point ()Not applicable h) Evaporation rate No data available Flammability (solid, The product is not flammable. i) qas) Upper/lower No data available j) flammability or explosive limits No data available k) Vapor pressure

SIGALD - 31669

Page 6 of 11



I)	Vapor density	No data available
m)	Density	2.71 g/cm3 at 20 °C (68 °F)
	Relative density	No data available
n)	Water solubility	1,187 g/l at 20 °C (68 °F) - soluble
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
<b>Oth</b>	or cafoty informatio	n

9.2 Other safety information No data available

# SECTION 10: Stability and reactivity

### **10.1 Reactivity**

No data available

### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# **10.3** Possibility of hazardous reactions

Violent reactions possible with: Strong acids hydrogen peroxide Risk of ignition or formation of inflammable gases or vapours with: halogen-halogen compounds Ethylene oxide carbides Risk of explosion with: hydrazine and derivatives nitrates Alkali metals Strong oxidizing agents

### **10.4** Conditions to avoid

Exposure to moisture may affect product quality. Exposure to air may affect product quality. no information available

#### **10.5 Incompatible materials** No data available

SIGALD - 31669

Page 7 of 11



# **10.6 Hazardous decomposition products**

In the event of fire: see section 5

# SECTION 11: Toxicological information

### **11.1** Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - male - 1,910 mg/kg (OECD Test Guideline 423) Remarks: (anhydrous substance) LC50 Inhalation - Rat - male and female - 4 h - 2 mg/l - dust/mist

(OECD Test Guideline 436) Remarks: (anhydrous substance) Dermal: No data available No data available

# Skin corrosion/irritation

Skin - Rabbit Result: Corrosive - 4 h (OECD Test Guideline 404) Remarks: (anhydrous substance)

#### **Serious eye damage/eye irritation** Remarks: Causes serious eye damage.

# Respiratory or skin sensitization

Patch test: - Human Result: positive Remarks: (ECHA) (anhydrous substance)

### Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Remarks: (anhydrous substance)

Test Type: Mutagenicity (mammal cell test): micronucleus. Species: Mouse

Application Route: Intraperitoneal injection

Result: negative Remarks: (National Toxicology Program) (anhydrous substance)

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SIGALD - 31669

Page 8 of 11



- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- No component of this product present at levels greater than or equal to 0.1% is OSHA: on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure May cause respiratory irritation.

# Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Cardio-vascular system

# **Aspiration hazard**

No data available

# **11.2 Additional Information**

### RTECS: XP8850000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish	static test LC50 - other fish - 10.19 mg/l - 96 h Remarks: The value is given in analogy to the following substances: tin(II) chloride
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia - 22 - 55 mg/l - 48 h Remarks: (ECHA) The value is given in analogy to the following substances: tin(II) chloride
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	static test NOEC - Daphnia magna (Water flea) - 0.18 mg/l - 21 d (OECD Test Guideline 211) Remarks: The value is given in analogy to the following substances: tin(II) chloride

# 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential No data available

# **12.4 Mobility in soil**

No data available

SIGALD - 31669

Page 9 of 11



# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### **12.6 Endocrine disrupting properties** No data available

# 12.7 Other adverse effects

Harmful effect due to pH shift. Discharge into the environment must be avoided.

# SECTION 13: Disposal considerations

# **13.1 Waste treatment methods**

### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

### DOT (US)

UN number: 3260 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Stannous chloride dihydrate) Reportable Quantity (RQ): Poison Inhalation Hazard: No

# IMDG

UN number: 3260 Class: 8 Packing group: II EMS-No: F-A, S-B Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Stannous chloride dihydrate)

# ΙΑΤΑ

UN number: 3260 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Stannous chloride dihydrate)

# **SECTION 15: Regulatory information**

### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

# SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SIGALD - 31669

Page 10 of 11



Acute Health Hazard

# Massachusetts Right To Know Components

Stannous chloride dihydrate

CAS-No. 10025-69-1 Revision Date 1993-04-24

# **SECTION 16: Other information**

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 6.10 Revision Date: 05/25/2023 Print Date: 11/11/2023

SIGALD - 31669

Page 11 of 11

