

# **SAFETY DATA SHEET**

Version 8.0 Revision Date 10/12/2023 Print Date 01/27/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : GLYCINE OMNIPUR

Product Number : 4810-OP Catalogue No. : D05197 Brand : Millipore CAS-No. : 56-40-6

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Biochemical research/analysis

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

#### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

#### 2.2 GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3: Composition/information on ingredients**

3.1 Substances

Formula : C2H5NO2

Millipore - 4810-OP

Page 1 of 9



Molecular weight : 75.07 g/mol CAS-No. : 56-40-6 EC-No. : 200-272-2

No components need to be disclosed according to the applicable regulations.

## **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Combustible.

Fire may cause evolution of:

nitrous gases, nitrogen oxides

Development of hazardous combustion gases or vapours possible in the event of fire.

## **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### **5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore - 4810-OP

Millipore SigMa

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

## **Storage conditions**

Tightly closed. Dry.

#### Storage class

Storage class (TRGS 510): 11: Combustible Solids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

#### **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

#### Personal protective equipment

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other

Millipore - 4810-OP

Page 3 of 9



substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

#### **Respiratory protection**

Recommended Filter type: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

Color: white

b) Odor odorless

c) Odor Threshold Not applicable

d) pH 5.9 - 6.4 at 50 g/l at 20 °C (68 °F)

e) Melting point/range: > 233 °C (> 451 °F) - (decomposition)

point/freezing point

f) Initial boiling point Not applicable

and boiling range

g) Flash point ()Not applicableh) Evaporation rate No data available

Millipore - 4810-OP Page 4 of 9



i) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure No data availablel) Vapor density No data available

m) Density 1.161 g/cm3 at 20 °C (68 °F)

Relative density No data available

n) Water solubility 250 g/l at 25 °C (77 °F) - soluble

o) Partition coefficient: log Pow: -3.21 - Bioaccumulation is not expected., (ECHA)

n-octanol/water

p) Autoignition > 140 °C (> 284 °F)not auto-flammable temperature

q) Decomposition temperature

> 233 °C (> 451 °F) -

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

Bulk density 920 kg/m3

Particle size < 0.1 mm - OECD Test Guideline 110

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### 10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents

Bases

#### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

Millipore - 4810-OP



# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 7,930 mg/kg

Remarks: (RTECS)

Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 72 h (OECD Test Guideline 405)

#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

## Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster fibroblasts

Metabolic activation: without metabolic activation

Result: negative Remarks: (ECHA)

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Millipore - 4810-OP

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish static test LC50 - Oryzias latipes (Orange-red killifish) - > 1,000 mg/l

- 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

semi-static test EC50 - Daphnia magna (Water flea) - > 220 mg/l - 48 h

and other aquatic invertebrates

(OECD Test Guideline 202)

Toxicity to algae

static test EC50 - Pseudokirchneriella subcapitata (green algae) - >

1,000 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

static test NOEC - activated sludge - >= 100 mg/l - 14 d

Remarks: (ECHA)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d

Result: 76 - 82 % - Readily biodegradable.

(OECD Test Guideline 301C)

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

Millipore - 4810-OP

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## **SECTION 14: Transport information**

#### DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15: Regulatory information**

## **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of

Millipore - 4810-OP

Page 8 of 9



the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the product or the document may temporarily not visually information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com.

Version: 8.0 Revision Date: 10/12/2023 Print Date: 01/27/2024

Millipore - 4810-OP Page 9 of 9

