Formaldehyde Solution, 10% Formalin, Neutral Buffered



Section 1

Product Description

Product Name: Formaldehyde Solution, 10% Formalin, Neutral Buffered

Recommended Use: Science education applications

Synonyms: N/A

Distributor: Carolina Biological Supply Company

2700 York Road, Burlington, NC 27215

1-800-227-1150

Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)

Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER







Combustible Liquid Harmful if swallowed or if inhaled. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause cancer. Causes damage to organs. Harmful to aquatic life.

GHS Classification:

Serious Eye Damage/Eye Irritation Category 1, Skin Sensitisation Category 1, Carcinogenicity Category 1A, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1, Skin Corrosion/Irritation Category 2, Hazardous to the aquatic environment - Acute Category 3, Flammable Liquid Category 4, Acute Toxicity - Inhalation Vapor Category 4, Acute Toxicity - Oral Category 4

Other Safety Precautions: IF exposed: Call a POISON CENTER or doctor/physician.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS#	<u>%</u>
Water	7732-18-5	93.6
Formaldehyde	50-00-0	3.7
Methanol	67-56-1	1.2
Sodium Phosphate, Dibasic, Anhydrous	7558-79-4	0.65
Sodium Phosphate, Monobasic	7558-80-7	0.4

Section 4

First Aid Measures

Emergency and First Aid Procedures

Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

Skin Contact: IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If

skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Ingestion: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Section 5

Firefighting Procedures

Extinguishing Media: Use dry chemical, CO2 or appropriate foam.

Fire Fighting Methods and Protection:

Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Fire and/or Explosion Hazards:

Fire or excessive heat may produce hazardous decomposition products. Vapors may travel back to ignition source. Closed Containers exposed to heat may explode.

Hazardous Combustion Products:

Carbon dioxide, Carbon monoxide

Section 6

Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled:

Exposure to the spilled material may be severely irritating or highly toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits. Ventilate the contaminated area. Keep upwind of the spilled material and isolate exposure. Remove soiled clothing and launder before reuse. Isolate area. Keep unnecessary personnel away. Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

Section 7

Handling and Storage

Handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe

dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. Do not breathe dust/vapor. Do not get in eyes, on skin, or on clothing. Retained residue may make

empty containers hazardous; use caution.

Store in a well-ventilated place. Keep cool. Store locked up. Suitable for any general chemical storage. Storage:

Storage Code: Blue - Toxic. Store separately in a secured area.

Section 8

Protection Information

	<u>ACGIH</u>		OSHA PEL	
<u>Chemical Name</u> Formaldehyde	(TWA) N/A	(STEL) N/A	(TWA) 0.75 ppm TWA	(STEL) 2 ppm STEL (see 29 CFR 1910.1048)
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260 mg/m3 TWA	N/A
Sodium Phosphate, Dibasic, Anhydrous	N/A	N/A	N/A	N/A

Control Parameters

Engineering Measures: Local exhaust ventilation, process enclosures, or other engineering controls are

necessary when handling or using this product to avoid overexposure.

Personal Protective Equipment (PPE): Lab coat, apron, eye wash, safety shower.

Respiratory Protection:

Respiratory protection may be required to avoid overexposure when handling this

product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Wear a NIOSH approved respirator if levels above the exposure limits are possible. Wear chemical splash goggles when handling this product. Have an eye wash station

Eye Protection:

Avoid skin contact by wearing chemically resistant gloves, an apron and other protective **Skin Protection:**

equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving

Nitrile, Neoprene, Polyvinyl chloride Gloves:

Section 9

Phvsical Data

Formula: CH2O in H2O Molecular Weight: 30.02 g/mol Appearance: Colorless Liquid Odor: Strong Alcohol Odor Pungent Odor Threshold: No data available

pH: No data available

Melting Point: No data available Boiling Point: 100 C Estimated 100 C

Flash Point: 85

Flammable Limits in Air: N/A N/A

Vapor Pressure: 0.002 hPa at 25 °C Evaporation Rate (BuAc=1): Less than 1 Vapor Density (Air=1): 1.03 (air = 1) Specific Gravity: Approx. 1.0 Solubility in Water: Soluble

Log Pow (calculated): No data available Autoignition Temperature: No data available Decomposition Temperature: No data available

Viscosity: No data available Percent Volatile by Volume: < 5%

Section 10 Reactivity Data

Reactivity: Not generally reactive under normal conditions.

Chemical Stability: Stable under normal conditions.

Conditions to Avoid: Sparks, open flame, other ignition sources, and elevated temperatures. Temperatures

above the high flash point of this combustible material in combination with sparks, open

flames, or other sources of ignition.

Incompatible Materials: Water-reactive materials, Acids, Metals, Metal Salts, Oxidizing materials, Peroxides,

Strong reducing agents, Strong oxidizing agents

Hazardous Polymerization: Will not occur

Section 11 Toxicity Data

Routes of Entry Inhalation, ingestion, eye or skin contact.

Symptoms (Acute): Gastrointestinal,

Delayed Effects: Listed by NTP, IARC as causing cancer.

Acute Toxicity:

Acute Toxicity.				
Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	Oral LD50 Rat 90000 mg/kg		
Formaldehyde	50-00-0	Oral LD50 Mouse	Dermal LD50	INHALATION
•		385 mg/kg	Rabbit 270 UL/KG	LC50 Mouse 505 MG/M3
Methanol	67-56-1	Oral LD50 Mouse		INHALATION
		7300 mg/kg		LC50 Rat 64000
				ppm
Sodium Phosphate, Dibasic, Anhydrous	7558-79-4	Oral LD50 Rat		
		17000 mg/kg		
Sodium Phosphate, Monobasic, Anhydrous	7558-80-7	Oral LD50 Rat		

8290 mg/kg

Carcinogenicity:

(CAS # 7558-80-7) 100%

Chemical Name	CAS Number	IARC	NTP	OSHA
Formaldehyde	50-00-0	Listed	Listed	Listed
Methanol	67-56-1	Not listed	Not listed	Not listed
Sodium Phosphate, Dibasic, Anhydrous	7558-79-4	Not listed	Not listed	Not listed

Chronic Effects:

Mutagenicity: No evidence of a mutagenic effect.

Teratogenicity: No evidence of a teratogenic effect (birth defect).

Sensitization: Evidence of a sensitization effect.

Reproductive: No evidence of negative reproductive effects.

Target Organ Effects:

Acute: Eyes, Skin, Respiratory system Chronic: Respiratory system, Eyes, Skin

Section 12 Ecological Data

Overview: Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or

wildlife.

Mobility: No data

Persistence: Evaporation into atmosphere, dissolved in water., Biodegradation

Bioaccumulation: Bioconcentration is not expected to occur.

Degradability: Biodegrades quickly.

Other Adverse Effects: Material has microbiocidal properties.

Chemical NameCAS NumberEco ToxicityWater7732-18-5No data available

Formaldehyde 50-00-0 96 HR LC50 BRACHYDANIO RERIO 41 MG/L [STATIC]

96 HR LC50 LEPOMIS MACROCHIRUS 1510 µG/L [STATIC]

48 HR LC50 DAPHNIA MAGNA 2 MG/L

Methanol 67-56-1 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]

Sodium Phosphate, Dibasic, Anhydrous 7558-79-4

Section 13 Disposal Information

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): Not Determined

Section 14 Transport Information

Ground - DOT Proper Shipping Name: Air - IATA Proper Shipping Name:

Combustible Liquid, n.o.s (formaldehyde, methanol), NA1993, PG Combustible Liquid, n.o.s (formaldehyde, methanol), NA1993,

PG II

All components in this product are on the TSCA Inventory.

Section 15 Regulatory Information

Chemical Name CAS § 313 Name § 304 RQ CERCLA RQ § 302 TPQ CAA 112(2)

Number TQ

Formaldehyde 50-00-0 Formaldehyde 100 lb RQ 100 lb final RQ; 500 lb TPQ No 45.4 kg final RQ

Methanol 67-56-1 Methanol No 5000 lb final No No RQ; 2270 kg final RQ

Sodium Phosphate, Dibasic, 7558-79-4 No 5000 lb final No Anhydrous RQ RQ; (2270 kg)

California Prop 65:

TSCA Status:



WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Section 16 Additional Information

No

Revised: 08/21/2018 Replaces: 06/27/2018 Printed: 08-25-2018

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary			
ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health